

Motorhomes 2023

Technical Information



Dethleffs Plus Factors –

Explanation of symbols

In the Dethleffs motorhomes you will find a lot of intelligent ideas and standard comfort equipment. Here you can see the most important symbols which you will find on the respective vehicle pages. More detailed information and explanations can also be found on www.dethleffs.com/plus-factors

Family benefits



Family-friendly: At least 4 sleeping berths without seating lounge conversion



Flexible: A comfortable pull-down bed offers additional sleeping berths, if wanted.

Added comfort



Inviting: 70 cm XXL entrance door



“SleepWell”: Fixed beds with 7-zone mattresses and ergonomic wooden bed frames.



Put your feet up: Comfortable L-shaped lounge with free-standing table



Freedom of movement: Separate shower and the washing area can be connected to a big bathroom



Easy entrance: Thanks to lowered Coupé entrance step

Added equipment



Winter expert! Excellent winterisation thanks to the elaborate double floor construction



Winterproof: Heated double floor with frost-protected water installation and additional storage space



Rear Wheel Drive of base chassis



For a healthy indoor climate: Optimal rear ventilation of overhead lockers avoids condensation



King of storage: Particularly high rear garages thanks to Dethleffs drop chassis extension



Height-adjustable queens bed: Comfortable entrance to bed or high garage



More power: 95 Ah battery with AGM technology for higher performance, longer life and shorter charging time

Added safety



Safe on the road: Premium broad gauge low platform for secure and dynamic driving experience



Well protected: Robust GRP roof for hail protection

Added longevity



Long-lasting: Rot-proof body construction without wood inserts and with GRP covered underfloor, roof and rear (rear depending on layout)



Long-lasting: Rot-proof floor construction without wood inserts and with GRP covered underfloor (roof and rear depending on layout)












Long-lasting: Proven reliable floor and conversion construction with excellent insulation

More information

www.dethleffs.de/en/dethleffs/dethleffs-plus-factors/lifetime-plus/me-plus/



QUEEN BEDS / FRENCH BED				CROSS BEDS	U-SHAPED LOUNGE	
Just 90	Trend	Pulse	Pulse Classic 90			
						
						
T 6752 DBL	T 7052 DBM		T 7051 DBM			
T 7052 DBL	T 7057 DBM		T 7051 DBL			
	T 7057 DBL					
	Just Go 					
						
						
	T 6905					
	T 7055 DBL					
2,33 m	2,33 m	2,33 m	2,33 m	2,33 m		
	Trend	Pulse	Esprit	XLI	Globebus	Alpa
						
						
	I 7057 DBM	I 7051 DBM	I 7150-2 DBM	I 7850-2 DBM	I 1	I 6820-2
	I 7057 DBL	I 7051 DBL	I 7150-2 DBL			I 7820-2
	2,33 m	2,33 m	2,33 m	2,33 m	2,20 m	2,33 m
						Alpa
						
						
						A 6820-2
						A 7820-2
						2,33 m
						2,33 m

IMPORTANT INFORMATION FOR THE SELECTION OF YOUR MOTORHOMES

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Dethleffs specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.



Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is $\pm 5\%$. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

3. The permitted number of seats (including driver)...

...is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section



Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
● Permitted number of seats (including driver)		4	4
● Manufacturer-specified mass for optional equipment	kg	245	149

4. The manufacturer-specified mass for optional equipment...

... is a value set by Dethleffs per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

Optional extra

		Price €	Additional weight	Code	Model 1	Model 2
Bathroom						
Shower grid	—	359,-	9	1385	—	○
Additional window in bathroom	—	269,-	5	9845	○	○
Multimedia						
Automatic HD satellite system 65 Twin	—	549,-	15	713	○	—
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel		238,-	1.5	1657	○	●

5.5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment."

INDEX MOTORHOMES MODEAL SEASON 2023

IMPORTANT INFORMATION FOR CHOOSING YOUR MOTORHOMES 6

Globebus Globebus A Class 9

Just 90 Just 90 Low Profile 18

Just Go Just Go Low Profile 31

Trend Trend Low Profile 41

Trend Trend A Class 52

Pulse Pulse A Class 63

Pulse Classic 90 Pulse Classic 90 Low Profile 71

Esprit Esprit A Class 82

Alpa Alpa Coachbuilt 91

Alpa Alpa A Class 98

Globetrotter XLI Globetrotter XLI A Class 105

Globetrotter XXL A Globetrotter XXL Coachbuilt 114

LEGAL INFORMATION ON WEIGHT-RELATED DATA 122

TECHNICAL INFORMATION / FOOTNOES 121

Globebus A Class



The most compact motorhome range from Dethleffs drives as easily and dynamically as a van! Ideal for city trips and mountain roads. But despite all its compactness, it knows how to convince with the advantages of a full-grown motorhome such as insulation, freedom of movement and kitchen and bathroom equipment. For those who value striking sporty details, the Gran Turismo equipment package is just right.

Technical info

Overall length, approx.	599 - 695 cm
Overall width, approx.	220 cm
Overall height, approx.	281 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Floyd upholstery



+ Duke upholstery

○

Wood décor



+ Rosario Cherry wood décor

○ optionally available

Plus factors

- + Proven Dethleffs quality at an attractive price
- + Sporty, striking Gran Turismo (GT) equipment package (optional)
- + Agile and safe handling due to compact exterior dimensions with an external width of only 2.20 m
- + Fully equipped kitchen with 2-burner hob and Multiflex rail system
- + Pleasant sleeping comfort thanks to 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames



Globebus A Class



Globebus A Class		I 1	I 6
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
Headroom in living area, approx.	cm	198	198
Towable load braked/unbraked	kg	2000 (750)	2000 (750)
Wheelbase, approx.	mm	3450	3800
Bed dimension: Front bed, L x W, approx.	cm	185 x 150	185 x 150
Bed dimension: Rear bed, L x W, approx.	cm	200 x 145	200 x 155 ○ / 195 x 80 / 195 x 75
Sleeping berths standard / max.		4	4
Standard engine		140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)
Mass in running order*	kg	2730 (2594 - 2867)*	2890 (2746 - 3035)*
Manufacturer-specified mass for optional equipment*	kg	424	255
Technically permissible maximum laden mass*	kg	3499	3499
Permitted number of seats (including driver)*		4	4
Refrigerator volume (thereof freezer), approx.	l	83 (8) / 137 (15) ○	137 (15)
Waste water tank, approx.	l	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	114 / 20	114 / 20
Measurement storage opening left (W x H)	cm	95 x 80	95 x 85
Measurement storage opening right (W x H)	cm	75 x 100	95 x 105

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

I 1

I 6

Fiat chassis		
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 6-speed manual transmission	●	●
Steel rims 15" (215/70 R15C) incl. wheel trims	●	●
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●
Anti-theft device	●	●
Captain seats: integrated headrests, two armrests, swivel function	●	●
Crosswind Assist	●	●
Cruise control	●	●
Driver and passenger airbags	●	●
Driver and passenger detection	●	●
Front-wheel drive	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●
Rear axle mudflaps	●	●
Additional protection for radiator through grille at front of vehicle	●	●
Automatic Brake Assist after a collision	●	●
Cup holder in the centre of the dashboard	●	●
Diesel tank 75 litre incl. 19L AdBlue tank	●	●
Driver's cab manual A/C	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●
Pleated blinds in the windscreen and side windows of the drive's cab for the best insulation and privacy	●	●
Trailer Stability Assist	●	●
Tyre inflation kit and towing eye	●	●
Exterior features		
60 cm wide habitation door	●	—
70 cm wide habitation door	—	●
Bedroom window right and left	●	●
Flyscreen habitation door	●	●
EPS insulation	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●
GRP roof	●	●
Habitation access with comfortable, wide, electric step	●	●
Large rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●	●
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●
Rear moulding with third brake light, integral rear lights incl. LED strip	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●
Skylight 40 x 40 cm above the lounge	●	●
Exterior design		
Exterior body painted in white	●	●
Interior design		
Floyd upholstery	●	●
Rosario Cherry wood décor	●	●
Textile equipment		
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●
Furniture layouts		
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	●	●
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	●	●
Floor-to-ceiling wooden sliding door to the bedroom	—	●
Full body mirror	●	●
High-level double bed, raised, transverse	●	—

Standard equipment

	I1	I6
High-level single beds incl. comfortable access via steps	—	●
Manual pull-down bed in the driver's cab	●	●
Multifunctional storage space underneath the double bed incl. wardrobe, accessible from inside and outside, illuminated, bed frame with adjustable shock absorbers	●	—
Overhead locker doors with soft-close function	●	●
Kitchen		
Fridge with separate freezer compartment and automatic energy selection (AES) (83 l)	●	—
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●
MultiFlex rail system	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	—	●
Bathroom		
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●
Swiveling bathroom wall for optimal use of space	●	—
Heating		
Gas hot-air heating 6kW with hot-water boiler	●	●
Electrical installation		
Awning light 12 V	●	●
LED lighting throughout the vehicle	●	●
Leisure battery AGM, 95 Ah	●	●
On-board control panel	●	●
Spotlights in the roof lining above the habitation door	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●
Number of sockets 1x 12V, 6x 230V, 2x USB	●	●
Water supply		
Fresh water tank in insulated and heated area	●	●
Submersible pump	●	●
Gas supply		
Storage space for 2 gas bottles with a filling weight of 11 kg each	●	●

PACKAGES GLOBEBUS A CLASS

Package	Globebus GT Package White (12159)	Globebus GT Package Grey (12161)
Electric parking brake	x	x
Leather steering wheel and gear knob with leather sleeve	x	x
Dashboard with aluminium application	x	x
Driver's cab automatic A/C	x	x
Habitation door with window incl. blackout and central locking (incl. cab door)	x	x
Luxus on-board control panel	x	x
Driver's cab door left	x	x
DAB+ radio antenna mounted on the roof	x	x
Preparation for radio system incl. sound package in the driver's cabin	x	x
Two-tone sockets and switches	x	x
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	x	x
Alloy wheel Fiat 16 "	x	x
Panoramic skylight 75x105 cm in the lounge	x	x
Height and tilt adjustable incl. two padded armrests for the driver and front passenger seat	x	x
Kitchen back panel in metallic grey	x	x
Roof rail	x	x
High-level rear moulding with third brake light, integral rear lights incl. LED strip	x	x
Exterior design GT White (A Class front partially painted black, large GT White sticker, skid plate red)	x	
Diesel tank 90 litre incl. 19L AdBlue tank	x	x
Steering wheel with control elements	x	x
Exterior design GT Grey (A Class front partially painted black, large GT Grey sticker, skid plate red)		x
Additional weight (kg)	71.1	71.1

Package	Winter Comfort Package hot-air heating (8251)
XPS insulation	x
Insulated under-floor pipes	x
Waste water tank and pipes electrically heated	x
Insulated waste water tank	x
Switch for water pump	x
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	x
Additional weight (kg)	30



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Chassis Package (12125)

Dashboard with aluminium application
Driver's cab automatic A/C
Leather steering wheel and gear knob with leather sleeve
Electric parking brake
Diesel tank 90 litre incl. 19L AdBlue tank
Steering wheel with control elements

Additional weight (kg)

4.1

Chassis Package Advance (12119)

10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control
Digital speedometer with large, digital 7" display
Wireless phone charger in the central console

Additional weight (kg)

2.2

Family Package (12151)

Preparation for radio system incl. sound package in the driver's cabin
DAB+ radio antenna mounted on the roof
Panoramic skylight 75x105 cm in the lounge
Driver's cab door left
Height and tilt adjustable incl. two padded armrests for the driver and front passenger seat
Habitation door with window incl. blackout and central locking (incl. cab door)
Luxus on-board control panel

Additional weight (kg)

48

Light Moments Package (11352)

Indirect ambient lighting above the overhead lockers
Indirect ambient lighting on the walls

Additional weight (kg)

2.5

Pre-wiring kit (11350)

Pre-wiring for solar
Pre-wiring for roof A/C
Pre-wiring for satellite system
Pre-wiring for first reversing camera
Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	11	16
Fiat chassis					
Alloy wheel Fiat 16 "	GT	0	8922	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 9-speed torque converter automatic transmission ¹⁾	—	35	140A	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 180 hp), 9-speed torque converter automatic transmission ¹⁾	—	35	180A	—	○
Weight upgrade					
Load increase 3,650 kg	—	0	10769	○	○
Fiat chassis features					
Rear corner steadies (2 pieces)	—	6	390	○	○
Reinforced spring for front axle	—	0	1889	○	○
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○
Exterior features					
Bike rack for 3 bikes (lowerable)	—	10	7482	○	○
Bike rack for 3 bikes (rear)	—	9	938	○	○
Omnistor cassette awning 4.0 m (manual)	—	33	859	○	—
Omnistor cassette awning 5.0 m (manual)	—	54	697	—	○
Double floor in rear garage	—	5	1890	○	○
Panorama skylight 70 x 50 cm above the pull-down bed	—	8	246	○	○
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	GT	5	415	○	○
Interior design					
Duke upholstery	—	0	11949	○	○
Textile equipment					
Carpet, loose	—	8	851	○	○
Furniture layouts					
Isfix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	○
Option to convert single beds to double bed	—	9	1883	—	○
Kitchen					
Fridge (137 l) instead of tall wardrobe	—	15	713	○	—
Bathroom					
Additional window in bathroom	—	5	372	○	○
Shower grid	—	1.5	1657	○	●
Multimedia					
Automatic HD satellite system 65 Twin ⁴⁾	—	10	11258	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel ⁵⁾	—	3.5	9582	○	○
Flat-screen TV bracket	—	3	325	○	○
Flat screen 22" HD TV (incl. DVD player, HDMI, DVB-S2 satellite receiver and terrestrial DVB-T2 receiver) ^{2) 3)}	—	3	11506	○	○
Rear view camera (double camera)	—	2	1641	○	○
Rear view camera (single camera)	—	2	1642	○	○
Second reversing camera in rear moulding	—	1	11541	○	○
Top view 360° camera	—	6	7173	○	○
Heating					
Digital control element for hot-air heating	—	1	6622	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	11	16
Floor heating electric (partial) ⁶⁾	—	9	763	○	○
Air Conditioning					
Roof A/C	—	34	609	○	○
Electrical installation					
Second leisure battery AGM, 95 Ah ⁷⁾	—	27	830	○	○
Solar power system 100 watt	—	15	922	○	○
Water supply					
Insulated waste water tank	WI-KO	8	665	○	○
Switch for water pump	WI-KO	1	397	○	○
Gas supply					
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○	○
Safety					
2 kg fire extinguisher	—	3.5	1878	○	○
Alarm system (for door with central locking)	—	5	322	○	○
Safe	—	12.5	323	○	○
Smoke detector	—	0.5	1891	○	○
Packages					
Chassis Package	—	4.1	12125	○	○
Chassis Package Advance ^{5) 8) 9)}	—	2.2	12119	○	○
Family Package	—	48	12151	○	○
Globebus GT Package Grey	—	71.1	12161	○	○
Globebus GT Package White	—	71.1	12159	○	○
Light Moments Package	—	2.5	11352	○	○
Pre-wiring kit	—	7	11350	○	○
Winter Comfort Package hot-air heating	—	30	8251	○	○
Miscellaneous					
Registration documents	—	0	15152	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

GT GT Package WI-KO Winter Comfort Package




The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



Just 90 Low Profile



Anniversary equipment (included in the base price)	T 6752 DBL	T 6762	T 6812 EB	T 7052 DBM	T 7052 DBL	T 7052 EB	T 7052 EBL
DAB+ radio antenna integrated in the right-hand exterior mirror	✓	✓	✓	✓	✓	✓	✓
Preparation for radio system incl. speakers in the driver's cab	✓	✓	✓	✓	✓	✓	✓
Blackout blinds in the driver's cab	✓	✓	✓	✓	✓	✓	✓
Height- and tilt adjustment and padded armrests for driver and front passenger seat	✓	✓	✓	✓	✓	✓	✓
Fly screen surface-mounted door	✓	✓	✓	✓	✓	✓	✓
Broad 70 cm habitation door with window and central locking (incl. cab door)	✓	✓	✓	✓	✓	✓	✓
Panoramic skylight 70x50 cm in living area	✓	✓	✓	✓	✓	✓	✓
Vent window in the T-hood	✓	✓	✓	✓	✓	✓	✓
Cosy L-shaped seating group with feestanding and rigid table base and 2 integrated 3-point seat belt	-	-	✓	✓	-	✓	-
Single beds convert to double bed	-	-	✓	-	-	✓	✓
Shower grid	✓	✓	✓	✓	✓	✓	✓
Awning light 12 V	✓	✓	✓	✓	✓	✓	✓

Just 90 Low Profile



Just ready to go: With its ready-to-go equipment, the anniversary model offers a special incentive, especially for beginners. In addition to the extensive anniversary equipment including a wide superstructure door and dynamic T-hood, the compact low platform model impresses with a young, fresh interior. All models are equipped with a 140 hp engine as standard.

Upholstery



+ Metropolitan upholstery

Wood décor



+ Rosario Cherry wood décor


Technical info

Overall length, approx.	696 - 741 cm
Overall width, approx.	233 cm
Overall height, approx.	294 cm
Headroom in living area, approx.	213 cm

Maximum values partly not possible for all models or only in connection with certain options.

Plus factors

- + Interior height 2.13 m (not below pull-down bed)
- + 70 cm wide habitation door with central locking
- + Lots of standard equipment at a great price



Just 90 Low Profile



Just 90 Low Profile		T 6752 DBL	T 6762	T 6812 EB	T 7052 DBM	T 7052 DBL
Standard chassis		Citroen Jumper Light Low Platform				
Emission standards		Euro 6d Final				
Overall length, approx.	cm	696	696	696	741	741
Overall width, approx.	cm	233	233	233	233	233
Overall height, approx.	cm	294	294	294	294	294
Headroom in living area, approx.	cm	213	213	213	213	213
Towable load braked/unbraked	kg	2000 (750)	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Wheelbase, approx.	mm	4035	4035	3800	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 ○	200 x 150	200 x 140 - 125 ○	200 x 140 - 125 ○	200 x 140 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	200 x 110 - 90 ○	210 x 120 ○	210 x 105 - 70 ○	210 x 120 - 80 ○	206 x 110 - 90 ○
Bed dimension: Rear bed, L x W, approx.	cm	190 x 150	-	198 x 80 / 200 x 80 / 210 x 170	190 x 150	190 x 150
Sleeping berths standard / max.		2 / 5 ○	2 / 4 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○
Standard engine		BlueHDi 140				
kW (bhp)		102 (140)	102 (140)	102 (140)	102 (140)	102 (140)
Mass in running order*	kg	2930 (2784 - 3077)*	2930 (2784 - 3077)*	2865 (2722 - 3008)*	2880 (2736 - 3024)*	2925 (2779 - 3071)*
Manufacturer-specified mass for optional equipment*	kg	209	234	269	260	210
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 ○	4 - 5 ○	4
Refrigerator volume (thereof freezer), approx.	l	137 (15) / 137 (15) ○	137 (15)	137 (15)	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20	116 / 20	116 / 20



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Just 90 Low Profile




Just 90 Low Profile		T 6752 DBL	T 6762	T 6812 EB	T 7052 DBM	T 7052 DBL
Measurement storage opening left (W x H)	cm	75 x 65	55 x 170	75 x 95	95 x 95	95 x 95
Measurement storage opening right (W x H)	cm	75 x 85	60 x 115	75 x 115	95 x 115	95 x 115



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Just 90 Low Profile




Just 90 Low Profile		T 7052 EB	T 7052 EBL
Standard chassis		Citroen Jumper Light Low Platform	Citroen Jumper Light Low Platform
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	741	741
Overall width, approx.	cm	233	233
Overall height, approx.	cm	294	294
Headroom in living area, approx.	cm	213	213
Towable load braked/unbraked	kg	2000 (750)	2000 (750)
Wheelbase, approx.	mm	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 - 125 ○	200 x 140 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	210 x 120 - 80 ○	206 x 110 - 90 ○
Bed dimension: Rear bed, L x W, approx.	cm	2x 215 x 80 / 210 x 190	2x 215 - 195 x 80 / 210 x 190
Sleeping berths standard / max.		2 / 5 ○	2 / 5 ○
Standard engine		BlueHDi 140	BlueHDi 140
kW (bhp)		102 (140)	102 (140)
Mass in running order*	kg	2880 (2736 - 3024)*	2925 (2779 - 3071)*
Manufacturer-specified mass for optional equipment*	kg	260	210
Technically permissible maximum laden mass*	kg	3499	3499
Permitted number of seats (including driver)*		4 - 5 ○	4
Refrigerator volume (thereof freezer), approx.	l	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	95 x 95	95 x 95



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Just 90 Low Profile



Just 90 Low Profile		T 7052 EB	T 7052 EBL
Measurement storage opening right (W x H)	cm	95 x 115	95 x 115

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

	T 675Z DBL	T 676Z	T 681Z EB	T 705Z DBM	T 705Z DBL	T 705Z EB	T 705Z EBL
Citroen chassis							
Citroen Jumper Light (3,499 kg) BlueHDi 2.2 l / 140 hp, 6-speed manual gearbox	●	●	●	●	●	●	●
Steel wheels 15" (215/70 R15C) incl. wheel trims	●	●	●	●	●	●	●
Citroen chassis features							
Anti-theft device	●	●	●	●	●	●	●
Cab blackout blinds	●	●	●	●	●	●	●
Captain seat, double armrests, swivel function with height and tilt adjustment for driver and front passenger seat	●	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●	●
Cup holder in the centre of the dashboard	●	●	●	●	●	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●	●	●	●	●	●
Dashboard with chrome rings	●	●	●	●	●	●	●
Daytime running lights integrated into headlights	●	●	●	●	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●	●	●	●	●
Driver and passenger airbags	●	●	●	●	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●	●	●	●	●
Front-wheel drive	●	●	●	●	●	●	●
Rear axle mudflaps	●	●	●	●	●	●	●
ABS (anti-lock braking system) / EBD (electronic brake force distribution)	●	●	●	●	●	●	●
Bumper and door handles painted in white	●	●	●	●	●	●	●
Chrome-plated radiator grille	●	●	●	●	●	●	●
Driver's cab manual A/C	●	●	●	●	●	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●	●	●	●	●	●
Exterior colour chassis polar white	●	●	●	●	●	●	●
Fix&Go kit (tyre repair kit)	●	●	●	●	●	●	●
Preparation for radio system incl. loudspeakers in the driver's cabin	●	●	●	●	●	●	●
Tyre Pressure Monitoring System (TPMS)	●	●	●	●	●	●	●
Widened rear axle	●	●	●	●	●	●	●
Exterior features							
70 cm wide habitation door	●	●	●	●	●	●	●
Flyscreen habitation door	●	●	●	●	●	●	●
Opening window in T-hood	●	●	●	●	●	●	●
EPS insulation	●	●	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●	●	●
GRP roof	●	●	●	●	●	●	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●	●	●	●	●	●	●
Large rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●	●	●	●	●	●	●
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	●	●	●	●	●	●	●
Panorama skylight 70 x 50 cm in the living area ¹⁰⁾	●	●	●	●	●	●	●
Rear moulding with third brake light	●	●	●	●	●	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●	●	●	●	●	●
Exterior design							
Exterior body painted in white	●	●	●	●	●	●	●
Interior design							
Metropolitan upholstery	●	●	●	●	●	●	●
Rosario Cherry wood décor	●	●	●	●	●	●	●
Textile equipment							
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●	●	●
Furniture layouts							
Wardrobe to the left and right of the queen-size bed	●	—	—	●	●	—	—
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	—	—	●	●	—	●	—
Cosy lounge seating group with free-standing, rigid table base	●	●	—	—	●	—	●

Standard equipment

	T 6752 DBL	T 6762	T 6812 EB	T 7052 DBM	T 7052 DBL	T 7052 EB	T 7052 EBL
High-level double bed	●	—	—	●	●	—	—
High-level single beds incl. comfortable access via steps	—	—	●	—	—	●	●
Option to convert single beds to double bed	—	—	●	—	—	●	●
Overhead locker doors with soft-close function	●	●	●	●	●	●	●
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	—	●	—	—	—	—	—
Kitchen							
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●	●	●	●	●	●
MultiFlex rail system	●	●	●	●	●	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	●	●	●	●	●	●	●
Bathroom							
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●	●	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●	—	●	●	●	●
Shower grid	●	●	●	●	●	●	●
Swiveling bathroom wall for optimal use of space	—	—	●	—	—	—	—
Heating							
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●	●	●	●
Electrical installation							
Awning light 12 V	●	●	●	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●	●	●	●
On-board control panel	●	●	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●	●	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 4x USB	—	●	—	—	—	—	—
Number of sockets 1x 12V, 8x 230V, 4x USB	—	—	●	●	—	●	—
Number of sockets 1x 12V, 8x 230V, 5x USB	●	—	—	—	●	—	●
Water supply							
Fresh water tank in insulated and heated area	●	●	●	●	●	●	●
Submersible pump	●	●	●	●	●	●	●
Gas supply							
Storage space for 2 gas bottles with a filling weight of 11 kg each	●	●	●	●	●	●	●

PACKAGES JUST 90 LOW PROFILE

Package	Package One, 4 m awning (12126)	Package One, 4,5 m awning (12126)
Automatic HD satellite system 65 Twin	x	x
Flat screen 22" HD TV (incl. DVD player, HDMI, DVB-S2 satellite receiver and terrestrial DVB-T2 receiver)	x	x
Flat-screen TV bracket	x	x
Rear view camera (single camera)	x	x
Omnistor cassette awning 4.0 m (manual)	x	
Omnistor cassette awning 4.5 m (manual)		x
Additional weight (kg)	51	68

Package	Winter Comfort Package hot-air heating (8251)
XPS insulation	x
Insulated under-floor pipes	x
Waste water tank and pipes electrically heated	x
Insulated waste water tank	x
Switch for water pump	x
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	x
Additional weight (kg)	30

Chassis Package (13301)	
LED daytime running lights	
Leather steering wheel and gear knob with leather sleeve	
Driver's cab automatic A/C	
Multifunctional steering wheel	
Additional weight (kg)	0

Assistance Package Citroen (11060)	
Light Assist	
High Beam Assist	
Rain sensor	
Emergency Brake Assist with pedestrian and cyclist detection	
Lane Keeping Assist	
Traffic Sign Assist	
Additional weight (kg)	0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first reversing camera

Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T 6752 DBL	T 6762	T 6812 EB	T 7052 DBM	T 7052 DBL	T 7052 EB	T 7052 EBL
Citroen chassis										
Alloy wheel Citroen 16 inch, black	—	20	9298	○	○	○	○	○	○	○
Citroen Jumper Light (3,499 kg) BlueHDi 2.2 l / 165 hp, 6-speed manual gearbox	—	0	165M	○	○	○	○	○	○	○
Weight upgrade										
Load increase 3,650 kg	—	0	10769	○	○	○	○	○	○	○
Citroen chassis features										
Additional seating area	—	11	435	—	—	○	○	—	○	—
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○	○	○	○	○	○
Exterior features										
Bike rack for 3 bikes (lowerable)	—	10	7482	○	○	○	○	○	○	○
Bike rack for 3 bikes (rear)	—	9	938	○	○	○	○	○	○	○
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	—	5	415	○	○	○	○	○	○	○
Furniture layouts										
Electric pull-down bed across the seating unit ¹⁰⁾	—	55	680	○	●	○	○	○	○	○
Bed convert for seating lounge transverse	—	9	1944	○	○	○	○	○	○	○
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	—	—	○	○	—	○	—
Kitchen										
Fridge (137 l) with integrated oven	—	20	290	○	—	—	○	○	○	○
Bathroom										
Additional window in bathroom	—	5	372	○	●	—	○	○	○	○
Multimedia										
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel	—	3.5	9582	○	○	○	○	○	○	○
Dethleffs moniceiver incl. DAB+, Apple CarPlay / Android Auto	—	3.5	11301	○	○	○	○	○	○	○
Second reversing camera in rear moulding	—	1	11541	○	○	○	○	○	○	○
Heating										
Floor heating electric (partial)	—	9	763	○	○	○	○	○	○	○
Air Conditioning										
Roof A/C	—	34	609	○	○	○	○	○	○	○
Electrical installation										
Solar power system 100 watt	—	15	922	○	○	○	○	○	○	○
Water supply										
Insulated waste water tank	WI-KO	8	665	○	○	○	○	○	○	○
Switch for water pump	WI-KO	1	397	○	○	○	○	○	○	○
Gas supply										
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○	○	○	○	○	○	○
Packages										
Assistance Package Citroen	—	0	11060	○	○	○	○	○	○	○
Chassis Package	—	0	13301	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T 6752 DBL	T 6762	T 6812 EB	T 7052 DBM	T 7052 DBL	T 7052 EB	T 7052 EBL
Package One, 4 m awning	—	51	12126	○	○	○	—	—	—	—
Package One, 4,5 m awning	—	68	12126	—	—	—	○	○	○	○
Pre-wiring kit	—	7	11350	○	○	○	○	○	○	○
Winter Comfort Package hot-air heating	—	30	8251	○	○	○	○	○	○	○
Miscellaneous										
Registration documents	—	0	15152	◆	◆	◆	◆	◆	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



Just Go Low Profile



Experience the world of motorhomes simply and easily - the new Just Go, based on the Ford Transit, does it perfectly.

Comprehensive equipment as well as modern interior with feel-good character, it already has everything on board as standard - and at a real friendship price. Want more? The Comfort Package supplements the standard equipment with lots of added value: more safety, more comfort, more fun. Just do it!

Technical info

Overall length, approx.	669 - 736 cm
Overall width, approx.	233 cm
Overall height, approx.	299 cm
Headroom in living area, approx.	213 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Ravello

Wood décor




+ Noce Nagano wood décor

Plus factors

- + Interior height 2.13 m (not below pull-down bed)
- + 70 cm wide habitation door
- + Proven Dethleffs quality at an attractive, friendly price
- + Fully equipped kitchen with 2-burner hob and Multiflex rail system
- + 137 l fridge with large freezer compartment
- + Pleasant sleeping comfort thanks to 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames
- + Optional pull-down bed



Just Go Low Profile



Just Go Low Profile		T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
Standard chassis		Ford Transit Low Platform	Ford Transit Low Platform	Ford Transit Low Platform	Ford Transit Low Platform	Ford Transit Low Platform	Ford Transit Low Platform
Emission standards		Euro VI-E	Euro VI-E	Euro VI-E	Euro VI-E	Euro VI-E	Euro VI-E
Overall length, approx.	cm	669	699	699	736	736	736
Overall width, approx.	cm	233	233	233	233	233	233
Overall height, approx.	cm	299	299	299	299	299	299
Headroom in living area, approx.	cm	213	213	213	213	213	213
Towable load braked/unbraked	kg	2000 (750)	2000 (750)	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Wheelbase, approx.	mm	3750	3750	3750	3954	3954	3954
Bed dimension: Front bed, L x W, approx.	cm	200 x 85 ○	200 x 140 - 120 ○	200 x 140 - 120 ○	200 x 140 ○	200 x 140 - 115 ○	200 x 140 ○
Bed dimension: Central / middle bed, L x W, approx.	cm	157 x 101 - 75 ○	210 x 100 - 65 ○	210 x 100 - 65 ○	210 x 105 - 80 ○	210 x 108 - 65 ○	210 x 105 - 80 ○
Bed dimension: Rear bed, L x W, approx.	cm	202 x 80 / 198 x 80 / 210 x 170 ○	198 x 80 / 208 x 80 / 210 x 170 ○	200 x 135 - 100	190 x 150	2x 215 x 80 / 210 x 190 ○	2x 215 x 80 / 210 x 190 ○
Sleeping berths standard / max.		2 / 4 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○
Standard engine		2,0 l TDCi Ford EcoBlue	2,0 l TDCi Ford EcoBlue	2,0 l TDCi Ford EcoBlue	2,0 l TDCi Ford EcoBlue	2,0 l TDCi Ford EcoBlue	2,0 l TDCi Ford EcoBlue
kW (bhp)		96 (130)	96 (130)	96 (130)	96 (130)	96 (130)	96 (130)
Mass in running order*	kg	2800 (2660 - 2940)*	2865 (2722 - 3008)*	2880 (2736 - 3024)*	2915 (2769 - 3061)*	2905 (2760 - 3050)*	2920 (2774 - 3066)*
Manufacturer-specified mass for optional equipment*	kg	367	299	284	245	255	240
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4 - 5 ○	4	4	4	4
Refrigerator volume (thereof freezer), approx.		83 (8) / 137 (15) ○	137 (15)	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○




* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Just Go Low Profile



Just Go Low Profile	T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
Waste water tank, approx.	95	95	95	95	95	95
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	115 / 20	115 / 20	115 / 20	115 / 20	115 / 20	115 / 20
Measurement storage opening left (W x H) cm	55 x 95 ○	75 x 95 ○	-	95 x 95 ○	95 x 95 ○	95 x 95 ○
Measurement storage opening right (W x H) cm	55 x 115	75 x 115	85 x 60	95 x 115	95 x 115	95 x 115

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

	T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
Ford chassis						
Ford Transit Light low platform (3,499 kg), TDCi EcoBlue (2.0 l / 130 hp) Heavy Duty, 6-speed manual transmission	●	●	●	●	●	●
Steel rims 16" (236/65 R16) with wheel trims	●	●	●	●	●	●
Ford chassis features						
Rear axle mudflaps	●	●	●	●	●	●
70l fuel tank	●	●	●	●	●	●
ABS, EBD, ESP, TCS, Hill Start Assist, Crosswind Assist, Safety Brake Assist, Rollover Protection Cab, Emergency Brake Support incl. Emergency Brake Light	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●
Driver and passenger seat Pilot Chair with double armrest, swivelling	●	●	●	●	●	●
Exterior Colour Cab Frost White	●	●	●	●	●	●
Exterior mirrors manually adjustable	●	●	●	●	●	●
Fix&Go kit (tyre repair kit)	●	●	●	●	●	●
Ford 6-speed manual gear box	●	●	●	●	●	●
Ford audio system radio incl. DAB/DAB+, remote control on steering wheel, hands-free system, 4 speakers and antenna	●	●	●	●	●	●
Front-wheel drive	●	●	●	●	●	●
Leather steering wheel	●	●	●	●	●	●
Wider rear axle	●	●	●	●	●	●
Exterior features						
70 cm wide habitation door	●	●	●	●	●	●
Bedroom window right and left	●	●	—	●	●	●
Flyscreen habitation door	●	●	●	●	●	●
EPS insulation	●	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●	●
GRP roof	●	●	●	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●	●	●	●
Large rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●	●	—	●	●	●
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	●	●	●	●	●	●
Rear moulding with third brake light	●	●	●	●	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●	●	●	●	●
Skylight 40 x 40 cm above the lounge	●	●	●	●	●	●
Exterior design						
Exterior body painted in white	●	●	●	●	●	●
Interior design						
Noce Nagano wood décor	●	●	●	●	●	●
Upholstery Ravello	●	●	●	●	●	●
Textile equipment						
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●	●
Furniture layouts						
Height-adjustable double bed	—	—	—	●	—	—
Seating area with mountable and extendible table and two integrated 3-point seatbelts	●	●	●	—	●	—
Wardrobe to the left and right of the queen-size bed	—	—	—	●	—	—
Cosy lounge seating group with free-standing, rigid table base	—	—	—	●	—	●
French double bed	—	—	●	—	—	—
High-level single beds incl. comfortable access via steps	●	●	—	—	●	●
Overhead locker doors with soft-close function	●	●	●	●	●	●
Room-height wardrobes with clothes rail or shelves	—	—	●	—	—	—
Kitchen						
Fridge with separate freezer compartment and automatic energy selection (AES) (83 l)	●	—	—	—	—	—
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●	●	●	●	●
MultiFlex rail system	●	●	●	●	●	●

Standard equipment

	T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	—	●	●	●	●	●
Bathroom						
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●	—	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	—	—	—	●	●	●
Swiveling bathroom wall for optimal use of space	●	●	●	—	—	—
Heating						
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●	●	●
Electrical installation						
Awning light 12 V	●	●	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●	●	●
On-board control panel	●	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●	●	●	●	●
Dimmable LED lighting in the separate shower and toilet room	—	—	—	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 4x USB	●	—	—	—	—	—
Number of sockets 1x 12V, 8x 230V, 4x USB	—	●	●	●	●	●
Water supply						
Fresh water tank in insulated and heated area	●	●	●	●	●	●
Submersible pump	●	●	●	●	●	●
Gas supply						
Storage space for 2 gas bottles with a filling weight of 11 kg each	●	●	●	●	●	●

PACKAGES JUST GO LOW PROFILE

Package	Package One, 4 m awning (12126)	Package One, 4,5 m awning (12126)
Automatic HD satellite system 65 Twin	x	x
Flat screen 22" HD TV (incl. DVD player, HDMI, DVB-S2 satellite receiver and terrestrial DVB-T2 receiver)	x	x
Flat-screen TV bracket	x	x
Rear view camera (single camera)	x	x
Omnistor cassette awning 4.0 m (manual)	x	
Omnistor cassette awning 4.5 m (manual)		x
Additional weight (kg)	51	68



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Package	Comfort package T 6615, 6815, 7055 EB (13247)	Comfort Package T 7055 DBL (13247)	Comfort Package T 7055 EBL (13247)	Comfort Package T 6905 (13247)
Alloy wheel Ford 16 inch, black	x	x	x	x
Passenger airbag	x	x	x	x
Habitation door with window incl. blackout and central locking (incl. cab door)	x	x	x	x
Opening window in T-hood	x	x	x	x
Cab blackout blinds	x	x	x	x
Panorama skylight 70 x 50 cm in the living area	x	x	x	x
Option to convert single beds to double bed	x		x	
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	x			x
Access locker door left	x	x	x	x
Upholstery Salerno incl. driver and front passenger seat cover	x	x	x	x
Indirect ambient lighting on the walls	x	x	x	x
Indirect ambient lighting above the overhead lockers	x	x	x	x
Windscreen, heatable	x	x	x	x
Windscreen wiper with rain sensor	x	x	x	x
Emergency brake assist, activ (camera-based)	x	x	x	x
Lane departure warning with drowsiness alert, highbeam assist and lane keeping assist	x	x	x	x
Headlight assist with day/night sensor	x	x	x	x
Air conditioning incl. dust and pollen filter	x	x	x	x
Glove compartment with lid, lockable	x	x	x	x
Interior package Trend Line	x	x	x	x
Side protection strips painted in car colour	x	x	x	x
Front bumper painted in car colour incl. fog lights	x	x	x	x
Headlamps with static cornering light	x	x	x	x
Electrically adjustable and heated exterior mirrors	x	x	x	x
Additional weight (kg)	66.15	52.15	61.15	57.15

Package	Winter Comfort Package hot-air heating (8251)
XPS insulation	x
Insulated under-floor pipes	x
Waste water tank and pipes electrically heated	x
Insulated waste water tank	x
Switch for water pump	x
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	x
Additional weight (kg)	30



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first reversing camera

Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
Ford chassis									
Ford Transit Light low platform (3,499 kg), TDCi EcoBlue (2.0 l / 130 hp) Heavy Duty, 6-speed automatic transmission ¹¹⁾	—	45	130A	○	○	○	○	○	○
Ford Transit Light low platform (3,499 kg), TDCi EcoBlue (2.0 l / 155 hp) Heavy Duty, 6-speed automatic transmission ¹¹⁾	—	45	155A	○	○	○	○	○	○
Ford Transit Light low platform (3,499 kg), TDCi EcoBlue (2.0 l / 155 hp) Heavy Duty, 6-speed manual transmission	—	0	155S	○	○	○	○	○	○
Ford chassis features									
Additional seating area	—	11	435	—	○	—	—	—	—
Passenger airbag	—	2.5	12979	○	○	○	○	○	○
Tow bar (check permissible gross towing weight for trailer operation) ^{11) 12)}	—	35	273	○	○	○	○	○	○
Exterior features									
Bike rack for 3 bikes (lowerable)	—	10	7482	○	○	○	○	○	○
Bike rack for 3 bikes (rear)	—	9	938	○	○	○	○	○	○
Access locker door left	—	7	331	○	○	—	○	○	○
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	—	5	415	○	○	○	○	○	○
Furniture layouts									
Electric pull-down bed across the seating unit	—	55	680	○	○	○	○	○	○
Bed convert for seating lounge transverse	—	9	1944	—	○	○	○	○	○
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	○	○	—	○	—
Makeshift bed	—	3	339	○	—	—	—	—	—
Option to convert single beds to double bed	—	9	1883	○	○	—	—	○	○
Kitchen									
Fridge (137 l)	—	15	713	○	—	—	—	—	—
Fridge (137 l) with integrated oven	—	20	290	—	—	○	○	○	○
Bathroom									
Additional window in bathroom	—	5	372	○	—	—	○	○	○
Shower grid	—	1.5	1657	○	○	○	○	○	○
Multimedia									
Dethleffs Moniceiver incl. DAB+, Apple Carplay and Android Auto ^{13) 14)}	—	△	13222	○	○	○	○	○	○
Second reversing camera in rear moulding	—	1	11541	○	○	○	○	○	○
Electrical installation									
Second leisure battery AGM, 95 Ah ⁷⁾	—	27	830	○	○	○	○	○	○
Solar power system 100 watt	—	15	922	○	○	○	○	○	○
Water supply									
Insulated waste water tank	WI-KO	8	665	○	○	○	○	○	○
Switch for water pump	WI-KO	1	397	○	○	○	○	○	○
Gas supply									
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○	○	○	○	○	○
Packages									
Comfort Package T 6905	—	57.15	13247	—	—	○	—	—	—
Comfort Package T 7055 DBL	—	52.15	13247	—	—	—	○	—	—
Comfort Package T 7055 EBL	—	61.15	13247	—	—	—	—	—	○
Comfort package T 6615, 6815, 7055 EB	—	66.15	13247	○	○	—	—	○	—



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
Package One, 4 m awning	—	51	12126	○	○	○	—	—	—
Package One, 4,5 m awning	—	68	12126	—	—	—	○	○	○
Pre-wiring kit	—	7	11350	○	○	○	○	○	○
Winter Comfort Package hot-air heating	—	30	8251	○	○	○	○	○	○
Miscellaneous									
Registration documents	—	0	15152	◆	◆	◆	◆	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend Low Profile



The Trend is the perfect introduction to the caravanning world of Dethleffs. At an unbeatable price, it offers quality and reliability from the caravanning pioneer. A special feature of the Trend is its variety of models. Here, everyone will find the right living space solution in the trendy interior design. In addition, there is a wide range of extraordinary equipment features, such as the rot-proof Lifetime Smart body technology.

Technical info

Overall length, approx.	696 - 741 cm
Overall width, approx.	233 cm
Overall height, approx.	294 cm
Headroom in living area, approx.	213 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Torcello upholstery



+ Gresso upholstery


○



+ La Rocca upholstery ○

Plus factors

- + Perfect price/performance ratio
- + Optional pull-down bed for all low-profile models
- + Ultra-long life with Lifetime Smart construction technology
- + 137 l fridge with large freezer compartment
- + Extra-wide entrance door (70 cm) with Coupè entrance
- + Large rear garage, suitable for most e-bikes
- + Even trendier with the stylish Design Package



Wood décor



+ Virginia Oak wood décor

○ optionally available

Trend Low Profile



Trend Low Profile		T 6717 EB	T 7017 EB	T 7057 DBM	T 7057 DBL	T 7057 EB
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	696	741	741	741	741
Overall width, approx.	cm	233	233	233	233	233
Overall height, approx.	cm	294	294	294	294	294
Headroom in living area, approx.	cm	213	213	213	213	213
Towable load braked/unbraked	kg	2000 (750)	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Wheelbase, approx.	mm	3800	4035	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 - 125 ○	200 x 140 ○	200 x 140 - 125 ○	200 x 140 ○	200 x 140 - 125 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	170 x 105 - 80 ○	210 x 115 - 80 ○	210 x 125 - 80 ○	206 x 110 - 90 ○	210 x 125 - 80 ○
Bed dimension: Rear bed, L x W, approx.	cm	210 x 200 - 185 ○ / 200 x 80 / 190 x 80	195 x 75 / 185 x 80	190 x 150	190 x 150	210 x 195 ○ / 210 x 80 / 205 x 80
Sleeping berths standard / max.		2 / 5 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order*	kg	2800 (2660 - 2940)*	2930 (2784 - 3077)*	2880 (2736 - 3024)*	2925 (2779 - 3071)*	2880 (2736 - 3024)*
Manufacturer-specified mass for optional equipment*	kg	339	205	255	205	255
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 ○	4	4 - 5 ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15) / 137 (15) ○			
Waste water tank, approx.	l	90	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	125 / 20	125 / 20	125 / 20	116 / 20	125 / 20



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend Low Profile



Trend Low Profile		T 6717 EB	T 7017 EB	T 7057 DBM	T 7057 DBL	T 7057 EB
Measurement storage opening left (W x H)	cm	75 x 115	95 x 55	95 x 115	95 x 115	95 x 115
Measurement storage opening right (W x H)	cm	75 x 115	95 x 55 / 55 x 75	95 x 115	95 x 115	95 x 115



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend Low Profile



Trend Low Profile		T 7057 EBL
Standard chassis		Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final
Overall length, approx.	cm	741
Overall width, approx.	cm	233
Overall height, approx.	cm	294
Headroom in living area, approx.	cm	213
Towable load braked/unbraked	kg	2000 (750)
Wheelbase, approx.	mm	4035
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 110 - 90 ○
Bed dimension: Rear bed, L x W, approx.	cm	210 x 195 ○ / 210 x 80 / 205 x 80
Sleeping berths standard / max.		2 / 5 ○
Standard engine		140 Multijet 3
kW (bhp)		103 (140)
Mass in running order*	kg	2925 (2779 - 3071)*
Manufacturer-specified mass for optional equipment*	kg	205
Technically permissible maximum laden mass*	kg	3499
Permitted number of seats (including driver)*		4
Refrigerator volume (thereof freezer), approx.	l	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20
Measurement storage opening left (W x H)	cm	95 x 115
Measurement storage opening right (W x H)	cm	95 x 115

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

	T 6717 EB	T 7017 EB	T 7057 DBM	T 7057 DBL	T 7057 EB	T 7057 EBL
Fiat chassis						
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 6-speed manual transmission	●	●	●	●	●	●
Steel rims 16" (225/75 R16C) incl. wheel trims	●	●	●	●	●	●
Fiat chassis features						
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●	●	●	●
Anti-theft device	●	●	●	●	●	●
Captain seats for driver and front passenger, swivel function	●	●	●	●	●	●
Crosswind Assist	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●
Driver and passenger airbags	●	●	●	●	●	●
Driver and passenger detection	●	●	●	●	●	●
Front-wheel drive	●	●	●	●	●	●
Automatic Brake Assist after a collision	●	●	●	●	●	●
Bumper painted in white	●	●	●	●	●	●
Cup holder in the centre of the dashboard	●	●	●	●	●	●
Daytime running lights integrated into headlights	●	●	●	●	●	●
Diesel tank 75 litre incl. 19L AdBlue tank	●	●	●	●	●	●
Driver's cab manual A/C	●	●	●	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●	●	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●	●	●	●	●
Exterior colour chassis white	●	●	●	●	●	●
Trailer Stability Assist	●	●	●	●	●	●
Tyre inflation kit and towing eye	●	●	●	●	●	●
Widened rear axle	●	●	●	●	●	●
Exterior features						
70 cm wide habitation door	●	●	●	●	●	●
Bedroom window right and left	●	●	●	●	●	●
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	●	●	●	●	●	●
Side panels and rear panel in smooth aluminium sheets	●	●	●	●	●	●
EPS insulation	●	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●	●
GRP roof	●	●	●	●	●	●
Habitation access with comfortable coupe entrance	●	●	●	●	●	●
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	●	●	●	●	●	●
Rear moulding with third brake light	●	●	●	●	●	●
Skylight 40 x 40 cm above the lounge	●	●	●	●	●	●
Exterior design						
Exterior body painted in white	●	●	●	●	●	●
Interior design						
Torcello upholstery	●	●	●	●	●	●
Virginia Oak wood décor	●	●	●	●	●	●
Textile equipment						
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●	●
Furniture layouts						
Low single-beds for comfortable access and high headroom	—	●	—	—	—	—
Seating area with mountable and extendible table and two integrated 3-point seatbelts	●	●	●	—	●	—
Wardrobe to the left and right of the queen-size bed	—	—	●	●	—	—
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●	●	●
Cosy lounge seating group with free-standing, rigid table base	—	—	—	●	—	●

Standard equipment

	T 6717 EB	T 7017 EB	T 7057 DBM	T 7057 DBL	T 7057 EB	T 7057 EBL
Floor-to-ceiling wooden sliding door to the bedroom	—	●	●	●	●	●
High-level double bed	—	—	●	●	—	—
High-level single beds incl. comfortable access via steps	●	—	—	—	●	●
Overhead locker doors with soft-close function	●	●	●	●	●	●
Kitchen						
Gourmet kitchen: three-ring hob, large drawers with soft-close function and generous worktop	●	●	●	●	●	●
MultiFlex rail system	●	●	●	●	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	●	●	●	●	●	●
Waste bin	●	●	●	●	●	●
Bathroom						
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	—	●	●	●	●	●
Swiveling bathroom wall for optimal use of space	●	—	—	—	—	—
Heating						
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	—	—	●	●	●	●
Electrical installation						
LED lighting throughout the vehicle	●	●	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●	●	●
On-board control panel	●	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●	●	●
Number of sockets 1x 12V, 8x 230V, 2x USB	●	●	●	●	●	●
Water supply						
Fresh water tank in insulated and heated area	●	●	●	●	●	●
Submersible pump	●	●	●	●	●	●
Gas supply						
Storage space for 2 gas bottles with a filling weight of 11 kg each	●	●	●	●	●	●

PACKAGES TREND LOW PROFILE

Package	Design Package Trend (EB/DBM) (9437)	Design Package Trend (DBL/EBL) (9437)
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	x	
Two-tone sockets and switches	x	x
Illuminated seat casing	x	x
Backlit chrome handle in entrance area	x	x
Newly designed kitchen area (back-lit kitchen wall, indirectly illuminated kitchen worktop, chrome handle and towel rail)	x	x
Shower console in black and bathroom accessories	x	x
Additional weight (kg)	13	8

Package	Assistance Package Fiat (12109)
Lane Assist	x
Light Assist	x
High Beam Assist	x
Emergency Brake Assist with pedestrian and cyclist detection	x
Rain sensor	x
Traffic Sign Assist	x
Additional weight (kg)	0.5

Package	Winter Comfort Package hot-air heating (8251)	Winter Comfort Package ALDE (8252)
XPS insulation	x	x
Insulated under-floor pipes	x	x
Waste water tank and pipes electrically heated	x	x
Insulated waste water tank	x	x
Switch for water pump	x	x
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	x	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel		x
Hot-water carpet for the driver's cab		x
Additional weight (kg)	30	78



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Chassis Package (12117)

Electric parking brake
Dashboard with aluminium application
Driver's cab automatic A/C
Leather steering wheel and gear knob with leather sleeve
LED daytime running lights
Keyless Entry & Go
Steering wheel with control elements
Diesel tank 90 litre incl. 19L AdBlue tank

Additional weight (kg)

5.5

Chassis Package Advance (12119)

10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control
Digital speedometer with large, digital 7" display
Wireless phone charger in the central console

Additional weight (kg)

2.2

Family Package (12127)

Opening window in T-hood
Habitation door with window incl. blackout and central locking (incl. cab door)
Flyscreen habitation door
Height and tilt adjustment and double armrests for driver and passenger seat
Cab blackout blinds
Panorama skylight 70 x 50 cm in the living area
Awning light 12 V
DAB+ radio antenna integrated into right exterior mirror
Preparation for radio system incl. sound package in the driver's cabin

Additional weight (kg)

37.7

Light Moments Package (11352)

Indirect ambient lighting above the overhead lockers
Indirect ambient lighting on the walls

Additional weight (kg)

2.5

Pre-wiring kit (11350)

Pre-wiring for solar
Pre-wiring for roof A/C
Pre-wiring for satellite system
Pre-wiring for first reversing camera
Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T 6717 EB	T 7017 EB	T 7057 DBM	T 7057 DBL	T 7057 EB	T 7057 EBL
Fiat chassis									
Alloy wheel Fiat 16 "	—	0	8922	○	○	○	○	○	○
Alloy wheels Dethleffs 16 "	—	0	8045	○	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 9-speed torque converter automatic transmission	—	35	140A	○	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 180 hp), 6-speed manual transmission	—	0	180S	—	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 180 hp), 9-speed torque converter automatic transmission	—	35	180A	○	○	○	○	○	○
Fiat Ducato Maxi Low platform (4,250 kg), Multijet 180 (2.2 l / 180 hp), 9-speed torque converter automatic transmission	—	40	M180A	○	○	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 180 hp), 6-speed manual transmission	—	40	M180S	○	○	○	○	○	○
Weight upgrade									
Load increase 3,650 kg	—	0	10769	○	○	○	○	○	○
Fiat chassis features									
Rear corner steadies (2 pieces)	—	6	390	○	○	○	○	○	○
Additional seating area	—	11	435	—	—	○	—	○	—
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○	○	○	○	○
Exterior features									
Bike rack for 3 bikes (lowerable)	—	10	7482	○	○	○	○	○	○
Bike rack for 3 bikes (rear)	—	9	938	○	○	○	○	○	○
Omnistor cassette awning 4.0 m (manual)	—	33	859	○	—	—	—	—	—
Omnistor cassette awning 4.5 m (manual)	—	50	930	—	○	○	○	○	○
Double floor in rear garage	—	5	1890	○	○	○	○	○	○
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	—	5	415	○	○	○	○	○	○
Exterior design									
Side panels in metallic titanium silver	—	0	1665	○	○	○	○	○	○
Interior design									
Grosso upholstery	—	0	9538	○	○	○	○	○	○
La Rocca upholstery	—	0	9917	○	○	○	○	○	○
Textile equipment									
Carpet, loose	—	8	851	○	○	○	○	○	○
Furniture layouts									
Electric pull-down bed across the seating unit ¹⁰⁾	—	55	680	○	○	○	○	○	○
Height-adjustable double bed	—	15	9435	—	—	○	○	—	—
Bed convert for seating lounge transverse	—	9	1944	—	○	○	○	○	○
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	Des-P	5	1870	○	○	○	—	○	—
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	○	○	—	○	—
Makeshift bed	—	3	339	○	—	—	—	—	—
Option to convert single beds to double bed	—	9	1883	○	—	—	—	○	○
Kitchen									
Extractor fan (extracted air) with draught stopper	—	2	344	○	○	○	○	○	○
Fridge (137 l) with integrated oven	—	20	290	—	○	○	○	○	○



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

Included in package	Additional weight (kg)*	Code	T 6717 EB	T 7017 EB	T 7057 DBM	T 7057 DBL	T 7057 EB	T 7057 EBL
---------------------	-------------------------	------	-----------	-----------	------------	------------	-----------	------------

Bathroom

Additional window in bathroom	—	5	372	○	○	○	○	○
Shower grid	—	1.5	1657	●	●	●	○	●

Multimedia

Automatic HD satellite system 65 Twin ⁴⁾	—	10	11258	○	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel ⁵⁾	—	3.5	9582	○	○	○	○	○
Flat-screen TV bracket	—	3	325	○	○	○	○	○
Flat screen 22" HD TV (incl. DVD player, HDMI, DVB-S2 satellite receiver and terrestrial DVB-T2 receiver) ^{2) 3)}	—	3	11506	○	○	○	○	○
Rear view camera (double camera)	—	2	1641	○	○	○	○	○
Rear view camera (single camera)	—	2	1642	○	○	○	○	○
Second reversing camera in rear moulding	—	1	11541	○	○	○	○	○

Heating

Digital control element for hot-air heating	—	1	6622	○	○	○	○	○
Floor heating electric (partial)	—	9	763	○	○	○	○	○
Heat exchanger for hot-water heating ¹⁵⁾	—	7	565	○	○	○	○	○
Hot-water carpet for the driver's cab ¹⁵⁾	WI-KO	10	6709	○	○	○	○	○
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	40	761	○	○	○	○	○

Air Conditioning

Roof A/C	—	34	609	○	○	○	○	○
----------	---	----	-----	---	---	---	---	---

Electrical installation

Second leisure battery AGM, 95 Ah ⁷⁾	—	27	830	○	○	○	○	○
Solar power system 100 watt	—	15	922	○	○	○	○	○

Water supply

Insulated waste water tank	WI-KO	8	665	○	○	○	○	○
Switch for water pump	WI-KO	1	397	○	○	○	○	○

Gas supply

Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○	○	○	○	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○	○	○	○	○

Safety

2 kg fire extinguisher	—	3.5	1878	○	○	○	○	○
Safe	—	12.5	323	○	○	○	○	○
Smoke detector	—	0.5	1891	○	○	○	○	○

Packages

Assistance Package Fiat	—	0.5	12109	○	○	○	○	○
Chassis Package	—	5.5	12117	○	○	○	○	○
Chassis Package Advance ^{16) 17) 5)}	—	2.2	12119	○	○	○	○	○
Design Package Trend (DBL/EBL)	—	8	9437	—	—	—	○	—
Design Package Trend (EB/DBM)	—	13	9437	○	○	○	—	○
Family Package ¹⁰⁾	—	37.7	12127	○	○	○	○	○
Light Moments Package	—	2.5	11352	○	○	○	○	○
Pre-wiring kit	—	7	11350	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T 6717 EB	T 7017 EB	T 7057 DBM	T 7057 DBL	T 7057 EB	T 7057 EBL
Winter Comfort Package ALDE	—	78	8252	○	○	○	○	○	○
Winter Comfort Package hot-air heating	—	30	8251	○	○	○	○	○	○
Miscellaneous									
Registration documents	—	0	15152	◆	◆	◆	◆	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

Des-P Design Package WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend A Class



The Trend is the perfect introduction to the caravanning world of Dethleffs. At an unbeatable price, it offers quality and reliability from the caravanning pioneer. A special feature of the Trend is its variety of models. Here, everyone will find the right living space solution in the trendy interior design. In addition, there is a wide range of extraordinary equipment features, such as the rot-proof Lifetime Smart body technology.

Technical info

Overall length, approx.	696 - 740 cm
Overall width, approx.	233 cm
Overall height, approx.	294 cm
Headroom in living area, approx.	213 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Torcello upholstery



+ Gresso upholstery

○



+ La Rocca upholstery ○

Plus factors

- + Perfect price/performance ratio
- + Ultra-long life with Lifetime Smart construction technology
- + 137 l fridge with large freezer compartment
- + Extra-wide entrance door (70 cm) with Coupè entrance
- + Large rear garage, suitable for most e-bikes
- + Even trendier with the stylish Design Package



Wood décor



+ Virginia Oak wood décor

○ optionally available

Trend A Class



Trend A Class		I 6717 EB	I 7017 EB	I 7057 DBM	I 7057 DBL	I 7057 EB
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	696	740	740	740	740
Overall width, approx.	cm	233	233	233	233	233
Overall height, approx.	cm	294	294	294	294	294
Headroom in living area, approx.	cm	213	213	213	213	213
Towable load braked/unbraked	kg	2000 (750)	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Wheelbase, approx.	mm	3800	4035	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	195 x 150	195 x 150	195 x 150	195 x 150	195 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	-	-	210 x 125 - 80 ○	-	210 x 125 - 80 ○
Bed dimension: Rear bed, L x W, approx.	cm	210 x 200 - 185 ○ / 200 x 80 / 190 x 80	195 x 75 / 195 x 80	190 x 150	190 x 150	210 x 80 / 205 x 80 / 210 x 195 ○
Sleeping berths standard / max.		4	4	4 / 5 ○	4	4 / 5 ○
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order*	kg	2850 (2708 - 2993)*	2955 (2807 - 3103)*	2935 (2788 - 3082)*	2970 (2822 - 3119)*	2935 (2788 - 3082)*
Manufacturer-specified mass for optional equipment*	kg	289	190	200	170	200
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 ○	4	4 - 5 ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15) / 137 (15) ○			
Waste water tank, approx.	l	90	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	125 / 20	125 / 20	125 / 20	116 / 20	125 / 20



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend A Class



Trend A Class		I 6717 EB	I 7017 EB	I 7057 DBM	I 7057 DBL	I 7057 EB
Measurement storage opening left (W x H)	cm	75 x 115	95 x 55	95 x 115	95 x 115	95 x 115
Measurement storage opening right (W x H)	cm	75 x 115	95 x 55 / 55 x 75	95 x 115	95 x 115	95 x 115



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend A Class



Trend A Class		I 7057 EBL
Standard chassis		Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final
Overall length, approx.	cm	740
Overall width, approx.	cm	233
Overall height, approx.	cm	294
Headroom in living area, approx.	cm	213
Towable load braked/unbraked	kg	2000 (750)
Wheelbase, approx.	mm	4035
Bed dimension: Front bed, L x W, approx.	cm	195 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	-
Bed dimension: Rear bed, L x W, approx.	cm	210 x 195 ○ / 205 x 80 / 210 x 80
Sleeping berths standard / max.		4
Standard engine		140 Multijet 3
kW (bhp)		103 (140)
Mass in running order*	kg	2970 (2822 - 3119)*
Manufacturer-specified mass for optional equipment*	kg	170
Technically permissible maximum laden mass*	kg	3499
Permitted number of seats (including driver)*		4
Refrigerator volume (thereof freezer), approx.	l	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20
Measurement storage opening left (W x H)	cm	95 x 115
Measurement storage opening right (W x H)	cm	95 x 115

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

	I 6717 EB	I 7017 EB	I 7057 DBM	I 7057 DBL	I 7057 EB	I 7057 EBL
Fiat chassis						
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 6-speed manual transmission	●	●	●	●	●	●
Steel rims 16" (225/75 R16C) incl. wheel trims	●	●	●	●	●	●
Fiat chassis features						
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●	●	●	●
Anti-theft device	●	●	●	●	●	●
Captain seats: integrated headrests, two armrests, swivel function	●	●	●	●	●	●
Crosswind Assist	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●
Driver and passenger airbags	●	●	●	●	●	●
Driver and passenger detection	●	●	●	●	●	●
Front-wheel drive	●	●	●	●	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●	●	●	●	●
Additional protection for radiator through grille at front of vehicle	●	●	●	●	●	●
Automatic Brake Assist after a collision	●	●	●	●	●	●
Cup holder in the centre of the dashboard	●	●	●	●	●	●
Daytime running lights integrated into headlights	●	●	●	●	●	●
Diesel tank 75 litre incl. 19l AdBlue tank	●	●	●	●	●	●
Driver's cab manual A/C	●	●	●	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●	●	●	●
Pleated blinds in the windscreen and side windows of the driver's cab for the best insulation and privacy	●	●	●	●	●	●
Trailer Stability Assist	●	●	●	●	●	●
Tyre inflation kit and towing eye	●	●	●	●	●	●
Widened rear axle	●	●	●	●	●	●
Exterior features						
70 cm wide habitation door	●	●	●	●	●	●
Bedroom window right and left	●	●	●	●	●	●
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	●	●	●	●	●	●
Side panels and rear panel in smooth aluminium sheets	●	●	●	●	●	●
EPS insulation	●	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●	●
GRP roof	●	●	●	●	●	●
Habitation access with comfortable coupe entrance	●	●	●	●	●	●
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	●	●	●	●	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●	●	●	●	●
Rear moulding with third brake light	●	●	●	●	●	●
Skylight 40 x 40 cm above the lounge	●	●	●	●	●	●
Exterior design						
Exterior body painted in white	●	●	●	●	●	●
Interior design						
Torcello upholstery	●	●	●	●	●	●
Virginia Oak wood décor	●	●	●	●	●	●
Textile equipment						
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●	●
Furniture layouts						
Low single-beds for comfortable access and high headroom	—	●	—	—	—	—
Seating area with mountable and extendible table and two integrated 3-point seatbelts	●	●	●	—	●	—
Wardrobe to the left and right of the queen-size bed	—	—	●	●	—	—
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●	●	●

Standard equipment

	I 6717 EB	I 7017 EB	I 7057 DBM	I 7057 DBL	I 7057 EB	I 7057 EBL
Cosy lounge seating group with free-standing, rigid table base	—	—	—	●	—	●
Floor-to-ceiling wooden sliding door to the bedroom	—	●	●	●	●	●
High-level double bed	—	—	●	●	—	—
High-level single beds incl. comfortable access via steps	●	—	—	—	●	●
Manual pull-down bed in the driver's cab	●	●	●	●	●	●
Overhead locker doors with soft-close function	●	●	●	●	●	●
Kitchen						
Gourmet kitchen: three-ring hob, large drawers with soft-close function and generous worktop	●	●	●	●	●	●
MultiFlex rail system	●	●	●	●	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	●	●	●	●	●	●
Waste bin	●	●	●	●	●	●
Bathroom						
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	—	●	●	●	●	●
Swiveling bathroom wall for optimal use of space	●	—	—	—	—	—
Heating						
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	—	—	●	●	●	●
Electrical installation						
Leisure battery AGM, 95 Ah	●	●	●	●	●	●
On-board control panel	●	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 2x USB	●	●	●	●	●	●
Water supply						
Fresh water tank in insulated and heated area	●	●	●	●	●	●
Submersible pump	●	●	●	●	●	●
Gas supply						
Storage space for 2 gas bottles with a filling weight of 11 kg each	●	●	●	●	●	●

PACKAGES TREND A CLASS

Package	Design Package Trend (EB/DBM) (9437)	Design Package Trend (DBL/EBL) (9437)
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	x	
Two-tone sockets and switches	x	x
Illuminated seat casing	x	x
Backlit chrome handle in entrance area	x	x
Newly designed kitchen area (back-lit kitchen wall, indirectly illuminated kitchen worktop, chrome handle and towel rail)	x	x
Shower console in black and bathroom accessories	x	x
Additional weight (kg)	13	8

Package	Winter Comfort Package hot-air heating (8251)	Winter Comfort Package ALDE (8252)
XPS insulation	x	x
Insulated under-floor pipes	x	x
Waste water tank and pipes electrically heated	x	x
Insulated waste water tank	x	x
Switch for water pump	x	x
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	x	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel		x
Hot-water carpet for the driver's cab		x
Additional weight (kg)	30	78

Chassis Package (12125)	
Dashboard with aluminium application	
Driver's cab automatic A/C	
Leather steering wheel and gear knob with leather sleeve	
Electric parking brake	
Diesel tank 90 litre incl. 19L AdBlue tank	
Steering wheel with control elements	
Additional weight (kg)	4.1

Chassis Package Advance (12119)	
10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control	
Digital speedometer with large, digital 7" display	
Wireless phone charger in the central console	
Additional weight (kg)	2.2



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Family Package (12128)

Preparation for radio system incl. sound package in the driver's cabin
DAB+ radio antenna mounted on the roof
Awning light 12 V
Panoramic skylight 75x105 cm in the lounge
Driver's cab door left
Height and tilt adjustable incl. two padded armrests for the driver and front passenger seat
Flyscreen habitation door
Habitation door with window incl. blackout and central locking (incl. cab door)

Additional weight (kg)

51.5

Light Moments Package (11352)

Indirect ambient lighting above the overhead lockers
Indirect ambient lighting on the walls

Additional weight (kg)

2.5

Pre-wiring kit (11350)

Pre-wiring for solar
Pre-wiring for roof A/C
Pre-wiring for satellite system
Pre-wiring for first reversing camera
Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

Included in package	Additional weight (kg)*	Code	I 6717 EB	I 7017 EB	I 7057 DBM	I 7057 DBL	I 7057 EB	I 7057 EBL
---------------------	-------------------------	------	-----------	-----------	------------	------------	-----------	------------

Fiat chassis								
Alloy wheel Fiat 16 "	—	0	8922	○	○	○	○	○
Alloy wheels Dethleffs 16 "	—	0	8045	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 9-speed torque converter automatic transmission	—	35	140A	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 180 hp), 6-speed manual transmission	—	0	180S	—	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 180 hp), 9-speed torque converter automatic transmission	—	35	180A	○	○	○	○	○
Fiat Ducato Maxi Low platform (4,250 kg), Multijet 180 (2.2 l / 180 hp), 9-speed torque converter automatic transmission	—	40	M180A	○	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 180 hp), 6-speed manual transmission	—	40	M180S	—	○	○	○	○
Weight upgrade								
Load increase 3,650 kg	—	0	10769	○	○	○	○	○
Fiat chassis features								
Rear corner steadies (2 pieces)	—	6	390	○	○	○	○	○
Reinforced spring for front axle	—	0	1889	○	○	○	○	○
Additional seating area	—	11	435	—	—	○	—	—
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○	○	○	○
Exterior features								
Bike rack for 3 bikes (lowerable)	—	10	7482	○	○	○	○	○
Bike rack for 3 bikes (rear)	—	9	938	○	○	○	○	○
Omnistor cassette awning 5.0 m (manual)	—	54	697	○	—	—	—	—
Omnistor cassette awning 5.5 m (manual)	—	58	494	—	○	○	○	○
Double floor in rear garage	—	5	1890	○	○	○	○	○
Panorama skylight 70 x 50 cm above the pull-down bed	—	8	246	○	○	○	○	○
Panoramic skylight 75x105 cm in the lounge	FA-P	12	849	○	○	○	○	○
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	—	5	415	○	○	○	○	○
Exterior design								
Side panels in metallic titanium silver	—	0	1665	○	○	○	○	○
Interior design								
Grosso upholstery	—	0	9538	○	○	○	○	○
La Rocca upholstery	—	0	9917	○	○	○	○	○
Textile equipment								
Carpet, loose	—	8	851	○	○	○	○	○
Furniture layouts								
Height-adjustable double bed	—	15	9435	—	—	○	○	—
Bed convert for seating lounge transverse	—	9	1944	—	—	○	—	○
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	Des-P	5	1870	○	○	○	—	○
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	○	○	—	○
Option to convert single beds to double bed	—	9	1883	○	—	—	—	○
Kitchen								
Extractor fan (extracted air) with draught stopper	—	2	344	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 6717 EB	I 7017 EB	I 7057 DBM	I 7057 DBL	I 7057 EB	I 7057 EBL
Fridge (137 l) with integrated oven	—	20	290	—	○	○	○	○	○
Bathroom									
Additional window in bathroom	—	5	372	○	○	○	○	○	○
Shower grid	—	1.5	1657	●	●	●	○	●	○
Multimedia									
Automatic HD satellite system 65 Twin ⁴⁾	—	10	11258	○	○	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel ⁵⁾	—	3.5	9582	○	○	○	○	○	○
Flat-screen TV bracket	—	3	325	○	○	○	○	○	○
Flat screen 22" HD TV (incl. DVD player, HDMI, DVB-S2 satellite receiver and terrestrial DVB-T2 receiver) ^{2) 3)}	—	3	11506	○	○	○	○	○	○
Rear view camera (double camera)	—	2	1641	○	○	○	○	○	○
Rear view camera (single camera)	—	2	1642	○	○	○	○	○	○
Second reversing camera in rear moulding	—	1	11541	○	○	○	○	○	○
Top view 360° camera	—	6	7173	○	○	○	○	○	○
Heating									
Digital control element for hot-air heating	—	1	6622	○	○	○	○	○	○
Floor heating electric (partial)	—	9	763	○	○	○	○	○	○
Heat exchanger for hot-water heating ¹⁵⁾	—	7	565	○	○	○	○	○	○
Hot-water carpet for the driver's cab ¹⁵⁾	WI-KO	10	6709	○	○	○	○	○	○
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	40	761	○	○	○	○	○	○
Air Conditioning									
Roof A/C	—	34	609	○	○	○	○	○	○
Electrical installation									
Second leisure battery AGM, 95 Ah ⁷⁾	—	27	830	○	○	○	○	○	○
Solar power system 100 watt	—	15	922	○	○	○	○	○	○
Water supply									
Insulated waste water tank	WI-KO	8	665	○	○	○	○	○	○
Switch for water pump	WI-KO	1	397	○	○	○	○	○	○
Gas supply									
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○	○	○	○	○	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○	○	○	○	○	○
Safety									
2 kg fire extinguisher	—	3.5	1878	○	○	○	○	○	○
Safe	—	12.5	323	○	○	○	○	○	○
Smoke detector	—	0.5	1891	○	○	○	○	○	○
Packages									
Chassis Package	—	4.1	12125	○	○	○	○	○	○
Chassis Package Advance ^{5) 17) 9)}	—	2.2	12119	○	○	○	○	○	○
Design Package Trend (DBL/EBL)	—	8	9437	—	—	—	○	—	○
Design Package Trend (EB/DBM)	—	13	9437	○	○	○	—	○	—
Family Package	—	51.5	12128	○	○	○	○	○	○
Light Moments Package	—	2.5	11352	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 6717 EB	I 7017 EB	I 7057 DBM	I 7057 DBL	I 7057 EB	I 7057 EBL
Pre-wiring kit	—	7	11350	○	○	○	○	○	○
Winter Comfort Package ALDE	—	78	8252	○	○	○	○	○	○
Winter Comfort Package hot-air heating	—	30	8251	○	○	○	○	○	○
Miscellaneous									
Registration documents	—	0	15152	◆	◆	◆	◆	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

FA-P Family Package Des-P Design Package WI-KO Winter Comfort Package



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Pulse A Class



On the pulse of time! The harmonious Light Moments lighting composition and many harmonious details create a wonderful, modern-styled living space. In addition, the Pulse scores with well thought-out functionality, generous equipment and consistent lightweight construction.

Technical info

Overall length, approx.	740 cm
Overall width, approx.	233 cm
Overall height, approx.	300 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Beat upholstery



+ Dance upholstery

○

Wood décor



+ Rosario Cherry wood décor


○ optionally available

Plus factors

- + "Light Moments" 4-level illumination as harmonious light composition (optional) for an emotional and atmospheric ambiance in the Pulse
- + Further development of the Dethleffs design language for more openness, brightness and clear forms and lines
- + Innovative Maxi-Flex overhead locker with soft opening and intuitive operation
- + One-level floor in living room with IsoProtect Comfort floor



Pulse A Class



Pulse A Class		I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 EBL
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	740	740	740	740
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	300	300	300	300
Headroom in living area, approx.	cm	205	205	205	205
Towable load braked/unbraked	kg	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Wheelbase, approx.	mm	4035	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	195 x 150	195 x 150	195 x 150	195 x 150
Bed dimension: Rear bed, L x W, approx.	cm	190 x 160	190 x 160	210 - 185 x 80 / 200 x 80 / 210 x 190 ○	210 x 190 ○ / 205 - 185 x 80 / 210 - 195 x 80
Sleeping berths standard / max.		4	4	4	4
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order*	kg	2980 (2831 - 3129)*	3045 (2893 - 3197)*	2980 (2831 - 3129)*	3045 (2893 - 3197)*
Manufacturer-specified mass for optional equipment*	kg	160	95	160	95
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4	4
Refrigerator volume (thereof freezer), approx.	l	136 (23) / 153 (29) ○	137 (15)	136 (23) / 153 (29) ○	137 (15)
Waste water tank, approx.	l	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	90 x 110	90 x 110	90 x 85 / 90 x 110 ○	90 x 85 / 90 x 110 ○
Measurement storage opening right (W x H)	cm	90 x 110	90 x 110	90 x 85 / 90 x 110 ○	90 x 85 / 90 x 110 ○

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 EBL
------------	------------	-----------	------------

Fiat chassis			
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 6-speed manual transmission	●	●	●
Steel rims 16" (225/75 R16C) incl. wheel trims	●	●	●
Fiat chassis features			
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●
Anti-theft device	●	●	●
Captain seats: integrated headrests, two armrests, swivel function	●	●	●
Crosswind Assist	●	●	●
Cruise control	●	●	●
Driver and passenger airbags	●	●	●
Driver and passenger detection	●	●	●
Front-wheel drive	●	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●	●
Additional protection for radiator through grille at front of vehicle	●	●	●
Automatic Brake Assist after a collision	●	●	●
Cup holder in the centre of the dashboard	●	●	●
Diesel tank 75 litre incl. 19L AdBlue tank	●	●	●
Driver's cab manual A/C	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●
Height and tilt adjustable incl. two padded armrests for the driver and front passenger seat	●	●	●
Pleated blinds in the windscreen and side windows of the driver's cab for the best insulation and privacy	●	●	●
Trailer Stability Assist	●	●	●
Tyre inflation kit and towing eye	●	●	●
Widened rear axle	●	●	●
Exterior features			
70 cm wide habitation door	●	●	●
Bedroom window right and left	●	●	●
Flyscreen habitation door	●	●	●
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	●	●	●
Rear moulding with third brake light, integral tail lights incl. LED strip and rear spoiler with rounded rear panel	●	●	●
Side panels and rear panel in smooth aluminium sheets	●	●	●
EPS insulation	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●
GRP roof	●	●	●
Habitation access with comfortable coupe entrance	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	●	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●	●
Skylight 40 x 40 cm above the lounge	●	●	●
Exterior design			
Exterior body painted in white	●	●	●
Interior design			
Beat upholstery	●	●	●
Rosario Cherry wood décor	●	●	●
Textile equipment			
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●
Furniture layouts			
Height-adjustable double bed	●	●	—
Low single-beds for comfortable access and high headroom	—	—	●
No steps in living room	●	●	●
Shoe cabinet in entrance area	●	●	●

Standard equipment

	I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 EBL
Wardrobe to the left and right of the queen-size bed	●	●	—	—
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	●	—	●	—
Cosy lounge seating group with free-standing, rigid table base	—	●	—	●
Floor-to-ceiling wooden sliding door to the bedroom	●	●	●	●
Full body mirror	●	—	●	—
Manual pull-down bed in the driver's cab	●	●	●	●
Overhead locker doors with soft-close function	●	●	●	●
Kitchen				
Gourmet kitchen: three-ring hob, large drawers with soft-close function and generous worktop	●	●	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	●	—	●	—
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	—	●	—	●
Waste bin	●	●	●	●
Bathroom				
Shower panel and bathroom accessories in black	●	●	●	●
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●	●	●
Heating				
Digital control element for hot-air heating	●	●	●	●
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●
Electrical installation				
Awning light 12 V	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●
On-board control panel	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 2x USB	●	●	●	●
Water supply				
Fresh water tank in insulated and heated area	●	●	●	●
Submersible pump	●	●	●	●
Gas supply				
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●	●	●

PACKAGES PULSE A CLASS

Package	Pulse GT Package White (12186)	Pulse GT Package Grey (12188)
Electric parking brake	x	x
Leather steering wheel and gear knob with leather sleeve	x	x
Dashboard with aluminium application	x	x
Driver's cab automatic A/C	x	x
Habitation door with window incl. blackout and central locking (incl. cab door)	x	x
Luxus on-board control panel	x	x
Driver's cab door left	x	x
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge	x	x
Indirect ambient lighting above the overhead lockers	x	x
DAB+ radio antenna mounted on the roof	x	x
Preparation for radio system incl. sound package in the driver's cabin	x	x
LED daytime running lights	x	x
Exterior design GT White (A Class front partially painted black, large GT White sticker, skid plate red)	x	
Two-tone sockets and switches	x	x
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	x	x
Diesel tank 90 litre incl. 19L AdBlue tank	x	x
Steering wheel with control elements	x	x
Alloy wheels Dethleffs 16 "	x	x
Exterior design GT Grey (A Class front partially painted black, large GT Grey sticker, skid plate red)		x
Additional weight (kg)	56.1	56.1

Package	Winter Comfort Package hot-air heating (8251)	Winter Comfort Package ALDE (8252)
XPS insulation	x	x
Insulated under-floor pipes	x	x
Waste water tank and pipes electrically heated	x	x
Insulated waste water tank	x	x
Switch for water pump	x	x
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	x	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel		x
Hot-water carpet for the driver's cab		x
Additional weight (kg)	30	78



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Chassis Package (12125)

Dashboard with aluminium application
Driver's cab automatic A/C
Leather steering wheel and gear knob with leather sleeve
Electric parking brake
Diesel tank 90 litre incl. 19L AdBlue tank
Steering wheel with control elements

Additional weight (kg)

4.1

Chassis Package Advance (12119)

10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control
Digital speedometer with large, digital 7" display
Wireless phone charger in the central console

Additional weight (kg)

2.2

Family Package (12184)

Preparation for radio system incl. sound package in the driver's cabin
DAB+ radio antenna mounted on the roof
Driver's cab door left
Habitation door with window incl. blackout and central locking (incl. cab door)
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge
Luxus on-board control panel
Indirect ambient lighting above the overhead lockers

Additional weight (kg)

45

Light Moments (9930)

Kitchen back panel illuminated
Indirect ambient lighting on the walls
Roof lining with indirect lighting
Illuminated entrance handle
Indirect lighting in the bathroom with illuminated shower panel
Plinth lighting in kitchen, lounge and bedroom

Additional weight (kg)

8

Pre-wiring kit (11350)

Pre-wiring for solar
Pre-wiring for roof A/C
Pre-wiring for satellite system
Pre-wiring for first reversing camera
Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 EBL
Fiat chassis							
Alloy wheels Dethleffs 16 "	GT	0	8045	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 9-speed torque converter automatic transmission	—	35	140A	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 180 hp), 6-speed manual transmission	—	0	180S	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 180 hp), 9-speed torque converter automatic transmission	—	35	180A	○	○	○	○
Fiat Ducato Maxi Low platform (4,250 kg), Multijet 180 (2.2 l / 180 hp), 9-speed torque converter automatic transmission	—	40	M180A	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 180 hp), 6-speed manual transmission	—	40	M180S	○	○	○	○
Weight upgrade							
Load increase 3,650 kg	—	0	10769	○	○	○	○
Fiat chassis features							
Rear corner steadies (2 pieces)	—	6	390	○	○	○	○
Reinforced spring for front axle	—	0	1889	○	○	○	○
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○	○	○
Exterior features							
Bike rack for 3 bikes (lowerable)	—	10	7482	○	○	○	○
Bike rack for 3 bikes (rear)	—	9	938	○	○	○	○
Omnistor cassette awning 5.0 m (manual)	—	54	697	○	○	○	○
Double floor in rear garage	—	5	1890	○	○	○	○
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	GT	5	415	○	○	○	○
Underbody tray	—	3.5	1985	○	○	○	○
Interior design							
Dance upholstery	—	0	9817	○	○	○	○
Textile equipment							
Carpet, loose	—	8	851	○	○	○	○
Furniture layouts							
High-level single beds incl. comfortable access via steps	—	5	652	—	—	○	○
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	—	○	—
Option to convert single beds to double bed	—	9	1883	—	—	○	○
Kitchen							
Extractor fan (extracted air) with draught stopper	—	2	344	○	○	○	○
Fridge (153 l), can be opened on both sides, with integrated oven	—	20	290	○	—	○	—
Bathroom							
Additional window in bathroom	—	5	372	○	○	●	●
Shower grid	—	1.5	1657	●	○	●	○
Multimedia							
Automatic satellite system 65 Twin	—	13	7670	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel ⁵⁾	—	3.5	9582	○	○	○	○
Flat-screen TV bracket	—	3	325	○	○	○	○
22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁾	—	3	1799	○	○	○	○
32" flat-screen TV ²⁾	—	7	9807	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 EBL
Integrated single-lens reversing camera	—	5	7636	○	○	○	○
Second reversing camera in rear moulding	—	1	11541	○	○	○	○
Sound package in living area ¹⁸⁾	—	10	9964	○	○	○	○
Top view 360° camera	—	6	7173	○	○	○	○
Heating							
Floor heating electric (partial)	—	9	763	○	○	○	○
Heat exchanger for hot-water heating ¹⁵⁾	—	7	565	○	○	○	○
Hot-water carpet for the driver's cab ¹⁵⁾	WI-KO	10	6709	○	○	○	○
Hot-water floor heating ¹⁵⁾	—	10	1603	○	○	○	○
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	40	761	○	○	○	○
Air Conditioning							
Roof A/C ¹⁹⁾	—	34	609	○	○	○	○
Electrical installation							
Second leisure battery AGM, 95 Ah ⁷⁾	—	27	830	○	○	○	○
Solar power system 100 watt	—	15	922	○	○	○	○
Water supply							
Insulated waste water tank	WI-KO	8	665	○	○	○	○
Switch for water pump	WI-KO	1	397	○	○	○	○
Gas supply							
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○	○	○	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○	○	○	○
Safety							
2 kg fire extinguisher	—	3.5	1878	○	○	○	○
Alarm system (for door with central locking)	—	5	322	○	○	○	○
Safe	—	12.5	323	○	○	○	○
Smoke detector	—	0.5	1891	○	○	○	○
Packages							
Light Moments	—	8	9930	○	○	○	○
Pulse GT Package Grey	—	56.1	12188	○	○	○	○
Pulse GT Package White	—	56.1	12186	○	○	○	○
Chassis Package	—	4.1	12125	○	○	○	○
Chassis Package Advance ^{5) 8) 9)}	—	2.2	12119	○	○	○	○
Family Package	—	45	12184	○	○	○	○
Pre-wiring kit	—	7	11350	○	○	○	○
Winter Comfort Package ALDE	—	78	8252	○	○	○	○
Winter Comfort Package hot-air heating	—	30	8251	○	○	○	○
Miscellaneous							
Registration documents	—	0	15152	◆	◆	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



GT GT Package WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Pulse Classic 90 Low Profile



Anniversary equipment (included in the base price)	T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL
Alloy wheel Fiat 16 inch	✓	✓	✓	✓
Headlight frame "Black"	✓	✓	✓	✓
LED daytime running light	✓	✓	✓	✓
Bumper painted in Campovolo Grey	✓	✓	✓	✓
Blackout blinds in the driver's cab	✓	✓	✓	✓
DAB+ radio antenna integrated in the right-hand exterior mirror	✓	✓	✓	✓
Front grille glossy black with chrome trims	✓	✓	✓	✓
Full LED bend lighting	✓	✓	✓	✓
Dashboard with aluminium applications	✓	✓	✓	✓
Autom. cab air conditioning	✓	✓	✓	✓
Leather steering wheel and gear knob with leather gaiter	✓	✓	✓	✓
Exterior colour Chassis Campovolo Grey	✓	✓	✓	✓
Diesel tank 90 l	✓	✓	✓	✓
Steering wheel remote control	✓	✓	✓	✓
Fog lights incl. cornering lights	✓	✓	✓	✓
Electric parking brake	✓	✓	✓	✓
Keyless Entry & Go	✓	✓	✓	✓
Step sill driver's cab	✓	✓	✓	✓
Skitplate red	✓	✓	✓	✓
Integrated tank nozzle cover	✓	✓	✓	✓
Fly screen surface-mounted door	✓	✓	✓	✓
Exterior design GT Grey (Extra stickers GT Grey)	✓	✓	✓	✓
Vent window in the T-hood	✓	✓	✓	✓
Panoramic skylight 70x50 cm in living area	✓	✓	✓	✓
Broad 70 cm habitation door with window and central locking (incl. cab door)	✓	✓	✓	✓
Sturdy, double-glazed frame windows with integrated blackout and mosquito blinds	✓	✓	✓	✓
Single beds convert to double bed	-	-	✓	✓
High single bed, incl. Sound Package in driver's cab	-	-	✓	✓
Preparation for radio system incl. Sound Package in the driver's cab	✓	✓	✓	✓
Bicolour sockets and switches	✓	✓	✓	✓
Light Moments package (4 levels of lighting)	✓	✓	✓	✓
Awning light 12 V	✓	✓	✓	✓
Onboard Control Panel Luxury	✓	✓	✓	✓
Indirect ambient lighting above the overhead storage cupboards	✓	✓	✓	✓

Pulse Classic 90 Low Profile



Furniture in light walnut, the floor in a chic stone look and the matching anniversary living world: lovers of classic designs will feel particularly at home in the Pulse Classic 90. For the 90th Dethleffs anniversary, the classic line of the Pulse has been given even more equipment on top and now really does include everything as standard that you need for a relaxed and extremely comfortable motorhome holiday.

Technical info

Overall length, approx.	741 cm
Overall width, approx.	233 cm
Overall height, approx.	300 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Cosmopolitan upholstery

Wood décor




+ Noce Nagano wood décor

Plus factors

- + Luxus series on-board control panel
- + One-level floor, no tripping hazard
- + Interior headroom 2.05 m
- + Shoe cabinet in entrance area
- + L-shaped seating lounge as standard
- + Optional reversing camera integrated into spoiler
- + Comprehensive anniversary equipment
- + "Light Moments" 4-level illumination as standard



Pulse Classic 90 Low Profile




Pulse Classic 90 Low Profile		T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	741	741	741	741
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	300	300	300	300
Headroom in living area, approx.	cm	205	205	205	205
Towable load braked/unbraked	kg	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Wheelbase, approx.	mm	4035	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 - 110 ○	200 x 140 ○	200 x 140 - 110 ○	200 x 140 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	170 x 100 - 80 ○	202 x 110 - 90 ○	170 x 100 - 80 ○	202 x 110 - 90 ○
Bed dimension: Rear bed, L x W, approx.	cm	190 x 160	190 x 160	210 x 190 / 210 - 185 x 80 / 200 x 80	210 x 190 / 205 - 185 x 80 / 210 - 195 x 80
Sleeping berths standard / max.		2 / 5 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order*	kg	3003 (2853 - 3153)*	3058 (2905 - 3211)*	3012 (2861 - 3163)*	3067 (2914 - 3220)*
Manufacturer-specified mass for optional equipment*	kg	132	82	123	73
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4	4
Refrigerator volume (thereof freezer), approx.	l	136 (23) / 153 (29) ○	137 (15)	136 (23) / 153 (29) ○	137 (15)
Waste water tank, approx.	l	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	90 x 110	90 x 110	90 x 110	90 x 110



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Pulse Classic 90 Low Profile



Pulse Classic 90 Low Profile		T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL
Measurement storage opening right (W x H)	cm	90 x 110	90 x 110	90 x 110	90 x 110

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL
------------	------------	-----------	------------

Fiat chassis			
Alloy wheel Fiat 16 "	●	●	●
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 6-speed manual transmission	●	●	●
Fiat chassis features			
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●
Anti-theft device	●	●	●
Bumper painted in Campovolo grey	●	●	●
Cab blackout blinds	●	●	●
Cab entrance step	●	●	●
Captain seats for driver and front passenger, swivel function	●	●	●
Crosswind Assist	●	●	●
Cruise control	●	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●	●
Dashboard with aluminium application	●	●	●
Driver and passenger airbags	●	●	●
Driver and passenger detection	●	●	●
Electric parking brake	●	●	●
Exterior colour chassis Campovolo grey	●	●	●
Front grille, high-gloss black with chrome trim	●	●	●
Front-wheel drive	●	●	●
Headlights with black rim	●	●	●
Height and tilt adjustment and double armrests for driver and passenger seat	●	●	●
LED daytime running lights	●	●	●
Leather steering wheel and gear knob with leather sleeve	●	●	●
Padded double armrests, fabric cover	●	●	●
Automatic Brake Assist after a collision	●	●	●
Cup holder in the centre of the dashboard	●	●	●
Daytime running lights integrated into headlights	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●
Driver's cab automatic A/C	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●	●
Fog lights incl. cornering light	●	●	●
Full LED low beam	●	●	●
Keyless Entry & Go	●	●	●
Steering wheel with control elements	●	●	●
Trailer Stability Assist	●	●	●
Tyre inflation kit and towing eye	●	●	●
Widened rear axle	●	●	●
Exterior features			
70 cm wide habitation door	●	●	●
Bedroom window right and left	●	●	●
Exterior design GT Grey (large GT Grey sticker)	●	●	●
Flyscreen habitation door	●	●	●
Opening window in T-hood	●	●	●
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	●	●	●
Rear moulding with third brake light, integral tail lights incl. LED strip and rear spoiler with rounded rear panel	●	●	●
Side panels and rear panel in smooth aluminium sheets	●	●	●
EPS insulation	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●
GRP roof	●	●	●
Habitation access with comfortable coupe entrance	●	●	●

Standard equipment

	T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL
Habitation access with comfortable, wide, electric step	●	●	●	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●	●	●	●
Integrated fuel nozzle cap	●	●	●	●
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	●	●	●	●
Panorama skylight 70 x 50 cm in the living area ¹⁰⁾	●	●	●	●
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	●	●	●	●
Exterior design				
Exterior body painted in white	●	●	●	●
Interior design				
Cosmopolitan upholstery	●	●	●	●
Noce Nagano wood décor	●	●	●	●
Textile equipment				
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●
Furniture layouts				
Height-adjustable double bed	●	●	—	—
No steps in living room	●	●	●	●
Shoe cabinet in entrance area	●	●	●	●
Wardrobe to the left and right of the queen-size bed	●	●	—	—
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	●	—	●	—
Cosy lounge seating group with free-standing, rigid table base	—	●	—	●
Floor-to-ceiling wooden sliding door to the bedroom	●	●	●	●
Full body mirror	●	—	●	—
High-level single beds incl. comfortable access via steps	—	—	●	●
Option to convert single beds to double bed	—	—	●	●
Overhead locker doors with soft-close function	●	●	●	●
Kitchen				
Gourmet kitchen: three-ring hob, large drawers with soft-close function and generous worktop	●	●	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	●	—	●	—
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	—	●	—	●
Waste bin	●	●	●	●
Bathroom				
Shower panel and bathroom accessories in black	●	●	●	●
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●	●	●
Multimedia				
Preparation for radio system incl. sound package in the driver's cabin	●	●	●	●
Heating				
Digital control element for hot-air heating	●	●	●	●
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●
Electrical installation				
Awning light 12 V	●	●	●	●
Indirect ambient lighting on the walls	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●
Light Moments Package (four levels of lighting)	●	●	●	●
Luxus on-board control panel	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●
Functional lighting (surface-mounted and recessed spotlights)	●	●	●	●

Standard equipment

	T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL
Illuminated entrance handle	●	●	●	●
Indirect ambient lighting above the overhead lockers	●	●	●	●
Indirect lighting in the bathroom with illuminated shower panel	●	●	●	●
Kitchen back panel illuminated	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 2x USB	●	●	●	●
Plinth lighting in kitchen, lounge and bedroom	●	●	●	●
Two-tone sockets and switches	●	●	●	●
Water supply				
Fresh water tank in insulated and heated area	●	●	●	●
Submersible pump	●	●	●	●
Gas supply				
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●	●	●

PACKAGES PULSE CLASSIC 90 LOW PROFILE

Package	Assistance Package Fiat (12109)
Lane Assist	x
Light Assist	x
High Beam Assist	x
Emergency Brake Assist with pedestrian and cyclist detection	x
Rain sensor	x
Traffic Sign Assist	x
Additional weight (kg)	0.5

Package	Winter Comfort Package hot-air heating (8251)	Winter Comfort Package ALDE (8252)
XPS insulation	x	x
Insulated under-floor pipes	x	x
Waste water tank and pipes electrically heated	x	x
Insulated waste water tank	x	x
Switch for water pump	x	x
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	x	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel		x
Hot-water carpet for the driver's cab		x
Additional weight (kg)	30	78

Chassis Package Advance (12119)	
10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control	
Digital speedometer with large, digital 7" display	
Wireless phone charger in the central console	
Additional weight (kg)	2.2

Package One (4.5m awning) (12191)	
22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle)	
Flat-screen TV bracket	
Integrated single-lens reversing camera	
Automatic satellite system 65 Twin	
Omnistor cassette awning 4.5 m (manual)	
Additional weight (kg)	74



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first reversing camera

Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL
Fiat chassis							
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 140 hp), 9-speed torque converter automatic transmission	—	35	140A	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 180 hp), 6-speed manual transmission	—	0	180S	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 180 hp), 9-speed torque converter automatic transmission	—	35	180A	○	○	○	○
Fiat Ducato Maxi Low platform (4,250 kg), Multijet 180 (2.2 l / 180 hp), 9-speed torque converter automatic transmission	—	40	M180A	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 180 hp), 6-speed manual transmission	—	40	M180S	○	○	○	○
Weight upgrade							
Load increase 3,650 kg	—	0	10769	○	○	○	○
Exterior features							
Bike rack for 3 bikes (lowerable)	—	10	7482	○	○	○	○
Bike rack for 3 bikes (rear)	—	9	938	○	○	○	○
Furniture layouts							
Electric pull-down bed across the seating unit	—	55	680	○	○	○	○
Bed convert for seating lounge transverse	—	9	1944	—	○	—	○
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	—	○	—
Makeshift bed	—	3	339	○	—	○	—
Kitchen							
Fridge (153 l), can be opened on both sides, with integrated oven	—	20	290	○	—	○	—
Bathroom							
Additional window in bathroom	—	5	372	○	○	●	●
Shower grid	—	1.5	1657	●	○	●	○
Multimedia							
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel ⁵⁾	—	3.5	9582	○	○	○	○
Second reversing camera in rear moulding	—	1	11541	○	○	○	○
Heating							
Floor heating electric (partial)	—	9	763	○	○	○	○
Heat exchanger for hot-water heating ¹⁵⁾	—	7	565	○	○	○	○
Hot-water carpet for the driver's cab ¹⁵⁾	WI-KO	10	6709	○	○	○	○
Hot-water floor heating ¹⁵⁾	—	10	1603	○	○	○	○
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	40	761	○	○	○	○
Air Conditioning							
Roof A/C	—	34	609	○	○	○	○
Electrical installation							
Solar power system 100 watt	—	15	922	○	○	○	○
Water supply							
Insulated waste water tank	WI-KO	8	665	○	○	○	○
Switch for water pump	WI-KO	1	397	○	○	○	○
Gas supply							



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○	○	○	○
Packages							
Assistance Package Fiat	—	0.5	12109	○	○	○	○
Chassis Package Advance ^{16) 5)}	—	2.2	12119	○	○	○	○
Package One (4.5m awning)	—	74	12191	○	○	○	○
Pre-wiring kit	—	7	11350	○	○	○	○
Winter Comfort Package ALDE	—	78	8252	○	○	○	○
Winter Comfort Package hot-air heating	—	30	8251	○	○	○	○
Miscellaneous							
Registration documents	—	0	15152	◆	◆	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

WI-KO Winter Comfort Package



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Esprit A Class



The Esprit combines modern design in Nordic style with excellent upper-class comfort. Its heated double floor with frost-proof water installation makes it a winterproof all-year-round companion. 26 cm high, it offers usable, additional storage space.

Technical info

Overall length, approx.	781 cm
Overall width, approx.	233 cm
Overall height, approx.	298 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Kari upholstery



+ Nubia upholstery

○



+ Individual genuine leather ○



+ Rubino real leather upholstery

○

Wood décor



+ Noce Nagano wood décor


○ optionally available

Plus factors

- + Winter-proof: heated double floor with frost-protected water installation
- + Perfect driving characteristics: premium low platform chassis with 145 mm lowering and up to 4.5 t max. authorised weight
- + Big, comfortable pull-down bed (200x150 cm), electrically operated
- + Large rear garage with door on both sides, 250 kg surface load, GRP anti-slip flooring, fleece cover, lashing rails, lighting and one-hand operation
- + Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking



Esprit A Class




Esprit A Class		I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform
Emission standards		Euro VI-E	Euro VI-E	Euro VI-E	Euro VI-E
Overall length, approx.	cm	781	781	781	781
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	298	298	298	298
Headroom in living area, approx.	cm	205	205	205	205
Towable load braked/unbraked	kg	1750 (750)	1750 (750)	1750 (750)	1750 (750)
Wheelbase, approx.	mm	4500	4500	4500	4500
Bed dimension: Front bed, L x W, approx.	cm	200 x 150	200 x 150	200 x 150	200 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 123 - 88 ○	-	206 x 123 - 88 ○	-
Bed dimension: Rear bed, L x W, approx.	cm	200 x 160	200 x 160	215 x 80 / 220 x 80 / 210 x 200 - 193	215 x 80 / 220 x 80 / 210 x 200 - 193
Sleeping berths standard / max.		4 / 5 ○	4	4 / 5 ○	4
Standard engine		180 Multijet 3 Power	180 Multijet 3 Power	180 Multijet 3 Power	180 Multijet 3 Power
kW (bhp)		132 (180)	132 (180)	132 (180)	132 (180)
Mass in running order*	kg	3430 (3259 - 3602)*	3430 (3259 - 3602)*	3430 (3259 - 3602)*	3430 (3259 - 3602)*
Manufacturer-specified mass for optional equipment*	kg	427	447	427	447
Technically permissible maximum laden mass*	kg	4250	4250	4250	4250
Permitted number of seats (including driver)*		4 - 5 ○	4	4 - 5 ○	4
Refrigerator volume (thereof freezer), approx.	l	136 (23) / 177 (35) ○	136 (23) / 177 (35) ○	136 (23) / 177 (35) ○	136 (23) / 177 (35) ○
Waste water tank, approx.	l	156	156	156	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	166 / 20	166 / 20	166 / 20	166 / 20



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Esprit A Class



Esprit A Class		I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Measurement storage opening left (W x H)	cm	100 x 105	100 x 105	100 x 80 / 100 x 110 ○	100 x 80 / 100 x 110 ○
Measurement storage opening right (W x H)	cm	100 x 105	100 x 105	100 x 80 / 100 x 110 ○	100 x 80 / 100 x 110 ○

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
--------------	--------------	-------------	--------------

Fiat chassis			
Fiat Ducato Maxi ALKO low-platform wide-track rear axle (4,250 kg) MultiJet 180 (2.2 l / 180 hp) Heavy Duty, 9-speed torque converter automatic transmission	●	●	●
Steel rims 16" (225/75 R16C) incl. wheel trims	●	●	●
Fiat chassis features			
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●
Anti-theft device	●	●	●
Crosswind Assist	●	●	●
Cruise control	●	●	●
Dashboard with aluminium application	●	●	●
Driver and passenger airbags	●	●	●
Driver and passenger detection	●	●	●
Emergency Brake Assist with pedestrian and cyclist detection	●	●	●
Front-wheel drive	●	●	●
Leather steering wheel and gear knob with leather sleeve	●	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●	●
Wireless phone charger in the central console	●	●	●
10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control	●	●	●
Additional protection for radiator through grille at front of vehicle	●	●	●
Automatic Brake Assist after a collision	●	●	●
Captain's chair with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests	●	●	●
Cup holder in the centre of the dashboard	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●
Digital speedometer with large, digital 7" display	●	●	●
Driver's cab automatic A/C	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●
Pleated privacy blind in the windscreen can be adjusted horizontally and laterally for the best insulation	●	●	●
Trailer Stability Assist	●	●	●
Tyre inflation kit and towing eye	●	●	●
Exterior features			
70 cm wide habitation door with window and blind	●	●	●
Bedroom window right and left	●	●	●
Flyscreen habitation door	●	●	●
Rear moulding with third brake light, integral tail lights incl. LED strip and rear spoiler with rounded rear panel	●	●	●
Side panels and rear panel in smooth aluminium sheets	●	●	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●	●	●
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●
GRP roof	●	●	●
Habitation access with comfortable coupe entrance	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●	●
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●	●	●
Skylight 40 x 40 cm above the lounge	●	●	●
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	●	●	●
Exterior design			
Exterior body painted in white	●	●	●
Interior design			
Kari upholstery	●	●	●
Noce Nagano wood décor	●	●	●
Textile equipment			

Standard equipment

	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●
Furniture layouts				
Low single-beds for comfortable access and high headroom	—	—	●	●
No steps in living room	●	●	●	●
Overhead lockers in the rear area	—	—	●	●
Shoe cabinet in entrance area	●	●	●	●
Wardrobe to the left and right of the queen-size bed	●	●	●	●
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	●	—	●	—
Cosy lounge seating group with free-standing, rigid table base	—	●	—	●
Electric pull-down bed in the driver's cab	●	●	●	●
Floor-to-ceiling wooden sliding door to the bedroom	●	●	●	●
High-level double bed	●	●	—	—
Option to convert single beds to double bed	—	—	●	●
Overhead locker doors with soft-close function	●	●	●	●
Kitchen				
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	●	●	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	●	●	●	●
Bathroom				
Additional window in bathroom	●	●	●	●
Shower panel and bathroom accessories in black	●	●	●	●
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●	●	●
Shower grid	●	●	●	●
Heating				
Digital control element for hot-air heating	●	●	●	●
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●
Electrical installation				
Awning light 12 V	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●
Luxus on-board control panel	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 2x USB	●	●	●	●
Water supply				
Switch for water pump	●	●	●	●
Pressurised water pump system	●	●	●	●
Gas supply				
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●	●	●

PACKAGES ESPRIT A CLASS

Package	Esprit GT Package White (12193)	Esprit GT Package Grey (12195)
Preparation for radio system incl. sound package in the driver's cabin	x	x
DAB+ radio antenna mounted on the roof	x	x
Driver's cab door left	x	x
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge	x	x
Indirect ambient lighting above the overhead lockers	x	x
Rear corner steadies (2 pieces)	x	x
Electric windscreen blinds	x	x
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	x	x
Extractor fan (extracted air) with draught stopper	x	x
Integrated single-lens reversing camera	x	x
Central locking for the drive's cab, habitation and garage door	x	x
LED low beam	x	x
SKA captain seat with air suspension	x	x
Lateral sun shades, as a roller blind for driver and passenger	x	x
Panoramic skylight 75x105 cm in the bedroom	x	x
Interior design GT incl. extended kitchen back panel	x	x
Exterior design GT Advance White (A Class front partially painted black, large GT White sticker, skid plate red)	x	
Alloy wheels Dethleffs 16 "	x	x
Exterior design GT Advance Grey (A Class front partially painted black, large GT Grey sticker, skid plate red)		x
Additional weight (kg)	125	125

Package	Lithium Package 1 (7488)	Lithium Package 2 (7489)
Victron PowerAssist and PowerControl	x	x
High-current module	x	x
Electrical block EBL 111	x	x
Victron control panel above the habitation door	x	x
Victron Energy MultiPlus charging/inverter combination 1600W/70A	x	
153 Ah lithium battery	x	
307 Ah lithium battery		x
Victron Energy MultiPlus charging/inverter combination 3000W/120A		x
Additional weight (kg)	63	113



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Travel Package (12192)

Preparation for radio system incl. sound package in the driver's cabin
DAB+ radio antenna mounted on the roof
Driver's cab door left
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge
Indirect ambient lighting above the overhead lockers
Rear corner steadies (2 pieces)
Electric windscreen blinds
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter
Extractor fan (extracted air) with draught stopper
Integrated single-lens reversing camera
Central locking for the drive's cab, habitation and garage door

Additional weight (kg)

67.5

Light Moments (11137)

Illuminated entrance handle
Indirect lighting in the bathroom with illuminated shower panel
Plinth lighting throughout the vehicle
Roof lining with indirect lighting
Kitchen back panel illuminated
Dimmable, indirect ambient lighting on the walls

Additional weight (kg)

10.5

Pre-wiring kit (11350)

Pre-wiring for solar
Pre-wiring for roof A/C
Pre-wiring for satellite system
Pre-wiring for first reversing camera
Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Fiat chassis							
Alloy wheels Dethleffs 16 "	GT	0	8045	○	○	○	○
Weight upgrade							
Load increase 4,500 kg	—	0	1585	○	○	○	○
Fiat chassis features							
Air suspension front and rear axle (2 axles)	—	55	1796	○	○	○	○
Air suspension rear axle (2 axles)	—	45	1658	○	○	○	○
Electric windscreen blinds	TR-P, GT	8	1782	○	○	○	○
Reinforced spring for front axle	—	0	1889	○	○	○	○
SKA captain seat with air suspension	GT	36	7505	○	○	○	○
Additional seating area	—	11	435	○	—	○	—
Hydraulic lifting jacks with automatic levelling and weighing function	—	72	9663	○	○	○	○
LED low beam	GT	1.5	7152	○	○	○	○
Seat heating and ventilation of the seat area ^{20) 21)}	—	0	11147	○	○	○	○
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○	○	○
Exterior features							
Bike rack for 3 bikes (lowerable)	—	10	7482	○	○	○	○
Bike rack for 3 bikes (rear)	—	9	938	○	○	○	○
Omnistor cassette awning 5.0 m (manual)	—	54	697	○	○	○	○
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge	TR-P, GT	12	849	○	○	○	○
Interior design							
Individual genuine leather ^{20) 22)}	—	0	9785	○	○	○	○
Nubia upholstery	—	0	10442	○	○	○	○
Rubino real leather upholstery ²⁰⁾	—	0	10443	○	○	○	○
Textile equipment							
Carpet, loose	—	8	851	○	○	○	○
Furniture layouts							
Bed convert for seating lounge transverse	—	9	1944	○	—	○	—
High-level single beds incl. comfortable access via steps	—	5	652	—	—	○	○
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	—	○	—
Overhead lockers in the driver's cab instead of pull-down bed	—	0	679	○	○	○	○
Kitchen							
Fridge (177 l), can be opened on both sides, with integrated oven	—	20	290	○	○	○	○
Extractor fan (extracted air) with draught stopper	TR-P, GT	2	344	○	○	○	○
Winter cover for refrigerator vents	—	1	282	○	○	○	○
Bathroom							
Ceramic toilet ²³⁾	—	25	7243	○	○	○	○
Macerator toilet with waste-holding tank	—	22	1625	○	○	○	○
Multimedia							
Additional 22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁴⁾	—	5	7490	○	○	○	○
Additional flat-screen TV bracket	—	3	1809	○	○	○	○
Automatic satellite system 65 Twin	—	13	7670	○	○	○	○
Flat-screen TV bracket	—	3	325	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁾	—	3	1799	○	○	○	○
32" flat-screen TV ²⁾	—	7	9807	○	○	○	○
Integrated single-lens reversing camera ⁹⁾	TR-P, GT	5	7636	○	○	○	○
Second reversing camera in rear moulding ⁹⁾	—	1	11541	○	○	○	○
Sound package in living area ¹⁸⁾	—	10	9964	○	○	○	○
Top view 360° camera	—	6	7173	○	○	○	○
Heating							
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	—	2	330	○	○	○	○
Heat exchanger for hot-water heating ¹⁵⁾	—	7	565	○	○	○	○
Hot-water carpet for the driver's cab ¹⁵⁾	—	10	6709	○	○	○	○
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	—	40	761	○	○	○	○
Air Conditioning							
Roof A/C	—	34	609	○	○	○	○
Electrical installation							
Solar power system 100 watt	—	15	922	○	○	○	○
Water supply							
Outdoor shower installed in rear garage (hot/cold water)	—	1	1574	○	○	○	○
Gas supply							
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	TR-P, GT	2	1577	○	○	○	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○	○	○	○
Safety							
2 kg fire extinguisher	—	3.5	1878	○	○	○	○
Alarm system (for door with central locking)	—	5	322	○	○	○	○
Safe	—	12.5	323	○	○	○	○
Smoke detector	—	0.5	1891	○	○	○	○
Packages							
Light Moments	—	10.5	11137	○	○	○	○
Esprit GT Package Grey ⁹⁾	—	125	12195	○	○	○	○
Esprit GT Package White ⁹⁾	—	125	12193	○	○	○	○
Lithium Package 1 ⁷⁾	—	63	7488	○	○	○	○
Lithium Package 2 ⁷⁾	—	113	7489	○	○	○	○
Pre-wiring kit	—	7	11350	○	○	○	○
Travel Package ⁹⁾	—	67.5	12192	○	○	○	○
Miscellaneous							
Registration documents	—	0	15152	◆	◆	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

GT GT Package TR-P Travel Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Alpa Coachbuilt



The motorhome for travelling couples. With generous space, a huge panoramic seating group and comfortable single beds in the alcove, this motorhome is ideally suited for comfortable travelling as a couple. And even in freezing temperatures, because the heated double floor with frost-protected water installation makes it absolutely winterproof.

Upholstery




+ Amaro upholstery



+ Goa upholstery ○



+ Individual genuine leather ○



+ Skylight real leather upholstery ○

Wood décor



+ Virginia Oak wood décor



+ Alternative overhead locker doors ○

○ optionally available

Technical info

Overall length, approx.	733 - 858 cm
Overall width, approx.	233 cm
Overall height, approx.	327 cm
Headroom in living area, approx.	209 cm

Maximum values partly not possible for all models or only in connection with certain options.

Plus factors

- + Huge panoramic U-shaped seating with plenty of space to eat and chill out
- + Large, comfortable single beds with convenient access
- + Large, spacious double floor, which can also be loaded from the rear (rear doors with one-hand operation)
- + Large bathroom and dressing area
- + Winter-proof: heated double floor with frost-protected water installation
- + Hot-water heating as standard



Alpa Coachbuilt



Alpa Coachbuilt		A 6820-2	A 7820-2
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform 3-axle
Emission standards		Euro VI-E	Euro VI-E
Overall length, approx.	cm	733	858
Overall width, approx.	cm	233	233
Overall height, approx.	cm	327	327
Headroom in living area, approx.	cm	209	209
Towable load braked/unbraked	kg	1750 (750)	1800 (750)
Wheelbase, approx.	mm	4070	4600
Bed dimension alcove, L x W, approx.	cm	205 x 80 / 195 x 80 / 210 x 155	205 x 80 / 195 x 80 / 210 x 155
Bed dimension: Rear bed, L x W, approx.	cm	210 x 170 ○	210 x 150 ○
Sleeping berths standard / max.		2 / 4 ○	2 / 4 ○
Standard engine		180 Multijet 3 Power	180 Multijet 3 Power
kW (bhp)		132 (180)	132 (180)
Mass in running order*	kg	3380 (3211 - 3549)*	3925 (3729 - 4121)*
Manufacturer-specified mass for optional equipment*	kg	932	874
Technically permissible maximum laden mass*	kg	4500	5000
Permitted number of seats (including driver)*		2 - 4 ○	2 - 4 ○
Refrigerator volume (thereof freezer), approx.	l	136 (23) / 153 (29) ○	136 (23) / 177 (35) ○
Waste water tank, approx.	l	140	140
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	140 / 20	140 / 20
Measurement storage opening left (W x H)	cm	95 x 105	105 x 105
Measurement storage opening right (W x H)	cm	95 x 105	105 x 105

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

A 6820-Z

A 7820-Z

Fiat chassis

Fiat Ducato Maxi ALKO low-platform 3-axle (5,000 kg) Multijet 180 (2.2 l / 180 hp) Heavy Duty, 9-speed torque converter automatic transmission	—	●
Fiat Ducato Maxi ALKO low-platform wide-track rear axle (4,500 kg) Multijet 180 (2.2 l / 180 hp) Heavy Duty, 9-speed torque converter automatic transmission	●	—
Steel rims 16" (225/75 R16C) incl. wheel trims	●	●

Fiat chassis features

ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●
Anti-theft device	●	●
Captain seats for driver and front passenger, swivel function	●	●
Crosswind Assist	●	●
Cruise control	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●
Dashboard with aluminium application	●	●
Driver and passenger airbags	●	●
Driver and passenger detection	●	●
Emergency Brake Assist with pedestrian and cyclist detection	●	●
Front-wheel drive	●	●
Height and tilt adjustment and double armrests for driver and passenger seat	●	●
High Beam Assist	●	●
LED daytime running lights	●	●
Leather steering wheel and gear knob with leather sleeve	●	●
Light Assist	●	●
Padded double armrests, fabric cover	●	●
Rain sensor	●	●
Wireless phone charger in the central console	●	●
10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control	●	●
Automatic Brake Assist after a collision	●	●
Bumper painted in white	●	●
Cup holder in the centre of the dashboard	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●
Digital speedometer with large, digital 7" display	●	●
Driver's cab automatic A/C	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●
Exterior colour chassis white	●	●
Keyless Entry & Go	●	●
Lane Assist	●	●
Traffic Sign Assist	●	●
Trailer Stability Assist	●	●
Tyre inflation kit and towing eye	●	●

Exterior features

70 cm wide habitation door with window and blind	●	●
Flyscreen habitation door	●	●
Panoramic skylight 75x105 cm above U-shaped seating	●	●
Rear moulding with third brake light, LED tail lights with dynamic indicators	●	●
Side panels and rear panel in smooth aluminium sheets	●	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●	●
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●
GRP roof	●	●
Habitation access with comfortable coupe entrance	●	●
Habitation access with comfortable, wide, electric step	●	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●	●
Opening window in overcab right	●	●

Standard equipment

	A 6820-2	A 7820-2
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●	●
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	●	●
Exterior design		
Exterior body painted in white	●	●
Interior design		
Amaro upholstery	●	●
Virginia Oak wood décor	●	●
Textile equipment		
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●
Furniture layouts		
Overhead lockers in the rear area	●	●
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	—	●
AirPlus overhead locker rear ventilation to avoid condensation	●	●
Full body mirror	●	●
Overhead locker doors with soft-close function	●	●
U-shaped seating in the lounge with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	—	●
U-shaped seating with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	●	—
Kitchen		
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	●	●
Kitchen overhead locker with illuminated roof lining	●	●
MultiFlex rail system	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	●	●
Bathroom		
Shower panel and bathroom accessories in black	●	●
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●
Shower grid	●	●
Heating		
Heating in the seating unit for optimum heat distribution, built-in	●	●
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	●	●
Electrical installation		
Awning light 12 V	●	●
LED lighting throughout the vehicle	●	●
Leisure battery AGM, 95 Ah	●	●
Luxus on-board control panel	●	●
Spotlights in the roof lining above the habitation door	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●
Number of sockets 1x 12V, 6x 230V, 2x USB	●	—
Number of sockets 1x 12V, 7x 230V, 2x USB	—	●
Water supply		
Fresh water and waste water tanks installed in double floor (insulated area)	●	●
Switch for water pump	●	●
Pressurised water pump system	●	●
Gas supply		
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●

PACKAGES ALPA COACHBUILT

Package	A 6820-2 Family Package (12212)	A 7820-2 Family Package (12212)
Preparation for radio system incl. sound package in the driver's cabin	x	x
Indirect ambient lighting above the overhead lockers	x	x
Cab blackout blinds	x	x
Sky Roof (2 x panoramic skylight 70x50cm crossways) over the seating lounge in the rear	x	
Extractor fan (extracted air) with draught stopper	x	x
Dimmable, indirect ambient lighting on the walls	x	x
Rear corner steadies (2 pieces)	x	x
Central locking for the driver's cab and habitation door	x	x
Sky roof (second panoramic skylight 75x105cm lengthwise over the seating lounge in the rear) incl. roof lining and lamp		x
Additional weight (kg)	56.5	56.5

Style Package ALPA (9114)

Styling Package (overcab design elements)
 High-level rear moulding with third brake light, LED rear lights with dynamic indicators
 Roof rail
 Panorama skylight 70 x 50 cm in the alcove

Additional weight (kg) 24

Electric Package 2 (7489)

Two 150 Ah leisure batteries (instead of standard battery)
 Victron Energy MultiPlus charging/inverter combination 3000W/120A
 Victron PowerAssist and PowerControl
 High-current module
 Electrical block EBL 111
 Victron control panel above the habitation door

Additional weight (kg) 113

Pre-wiring kit (11665)

Pre-wiring for solar
 Pre-wiring for roof A/C
 Pre-wiring for first reversing camera
 Pre-wiring for satellite system

Additional weight (kg) 6.5

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	A 6820-2	A 7820-2
Fiat chassis					
Alloy wheels Dethleffs 16 "	—	0	8045	○	—
Dethleffs 16" alloy wheels (for 3 axles)	—	0	8045	—	○
Weight upgrade					
4,800 kg (incl. air suspension rear axle, reinforced coil springs front axle, complete set of aluminium wheels with all-weather tyres 225/65 R16)	—	40	8460	○	—
Fiat chassis features					
Air suspension front and rear axle (2 axles)	—	55	1796	○	—
Air suspension front and rear axle (3 axles) ²⁵⁾	—	85	12907	—	○
Air suspension rear axle (2 axles)	—	45	1658	○	—
Air suspension rear axle (3 axles) ²⁵⁾	—	75	12906	—	○
Bench with 3-point seatbelts for seats facing away from driving direction incl. bed convert for seating lounge (1944)	—	18	9116	—	○
Single folding seats, rear right and left incl. Isofix, bed construction, seat group and weight increase 4,800 kg with HA air suspension, reinforced VA coil springs and 16" alloy rims	—	131	1604, 1605	○	—
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○
Exterior features					
Omnistor cassette awning 5.0 m (electric)	—	54	428	○	—
Omnistor cassette awning 5.0 m (manual)	—	54	697	○	—
Omnistor cassette awning 6.0 m (electric)	—	64	519	—	○
Omnistor cassette awning 6.0 m (manual)	—	61	560	—	○
Opening window in overcab left	—	2	622	○	○
Roof vent with fan (fitted in the passageway to the bathroom)	—	1	7507	○	○
Storage access in the rear	—	17	1732	○	○
Double floor in rear garage	—	5	1890	○	○
Exterior design					
Side panels in metallic titanium silver	—	0	511	○	○
Interior design					
Alternative overhead locker doors	—	0	1969	○	○
Goa upholstery	—	0	9555	○	○
Individual genuine leather ²²⁾	—	0	9785	○	○
Skylight real leather upholstery	—	0	8032	○	○
Textile equipment					
Carpet, loose	—	8	851	○	○
Furniture layouts					
Bed convert for seating lounge transverse	—	9	1944	○	○
Kitchen					
Fridge (177 l), can be opened on both sides, with integrated oven	—	20	290	—	○
Fridge (153 l), can be opened on both sides, with integrated oven	—	20	290	○	—
Bathroom					
Ceramic toilet ²³⁾	—	25	7243	○	—
Macerator toilet with waste-holding tank	—	22	1625	○	○
Toilet ventilation via the roof	—	2	1681	○	○
Multimedia					



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	A 6820-2	A 7820-2
Additional 22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁴⁾	—	5	7490	○	○
Additional flat-screen TV bracket	—	3	1809	○	○
Automatic satellite system 85 Twin	—	15	1637	○	○
Flat-screen TV bracket	—	3	325	○	○
22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁾	—	3	1799	○	○
32" TV (incl. bracket, DVB-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide angle) incl. sound board	—	15	9127	○	○
Rear view camera (double camera) ¹⁶⁾	—	2	1641	○	○
Rear view camera (single camera) ¹⁶⁾	—	2	1642	○	○
Heating					
Electrically heated overcab bed	—	3	1740	○	○
Heat exchanger for hot-water heating	—	7	565	○	○
Hot-water carpet for the driver's cab	—	10	6709	○	○
Air Conditioning					
Roof A/C	—	34	609	○	○
Electrical installation					
Second leisure battery AGM, 95 Ah ⁷⁾	—	27	830	○	○
Solar power system 100 watt	—	15	922	○	○
Water supply					
Outdoor shower (cold water)	—	1	793	○	○
Gas supply					
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○	○
Safety					
2 kg fire extinguisher	—	3.5	1878	○	○
Alarm system (for door with central locking)	—	5	322	○	○
Safe	—	12.5	323	○	○
Smoke detector	—	0.5	1891	○	○
Packages					
A 6820-2 Family Package	—	56.5	12212	○	—
A 7820-2 Family Package	—	56.5	12212	—	○
Electric Package 2 ⁷⁾	—	113	7489	○	○
Pre-wiring kit	—	6.5	11665	○	○
Style Package ALPA	—	24	9114	○	○
Miscellaneous					
Registration documents	—	0	15152	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Alpa A Class



The motorhome for travelling couples. With generous space, a huge panoramic seating group and comfortable pull-down bed, this motorhome is ideally suited for comfortable travelling as a couple. And even in freezing temperatures, because the heated double floor with frost-protected water installation makes it absolutely winterproof.

Upholstery




+ Amaro upholstery



+ Goa upholstery ○



+ Individual genuine leather ○



+ Skylight real leather upholstery ○

Wood décor



+ Virginia Oak wood décor



+ Alternative overhead locker doors ○

○ optionally available

Technical info

Overall length, approx.	748 - 858 cm
Overall width, approx.	233 cm
Overall height, approx.	304 cm
Headroom in living area, approx.	208 cm


Maximum values partly not possible for all models or only in connection with certain options.

Plus factors

- + Huge panoramic U-shaped seating with plenty of space to eat and chill out
- + Large, comfortable single beds with convenient access
- + Large, spacious double floor, which can also be loaded from the rear (rear doors with one-hand operation)
- + Large bathroom and dressing area
- + Winter-proof: heated double floor with frost-protected water installation
- + Hot-water heating as standard



Alpa A Class



Alpa A Class		I 6820-2	I 7820-2
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform 3-axle
Emission standards		Euro VI-E	Euro VI-E
Overall length, approx.	cm	748	858
Overall width, approx.	cm	233	233
Overall height, approx.	cm	304	304
Headroom in living area, approx.	cm	208	208
Towable load braked/unbraked	kg	1750 (750)	1800 (750)
Wheelbase, approx.	mm	4250	4600
Bed dimension: Front bed, L x W, approx.	cm	2x 210 x 75 / 200 x 165	2x 210 x 75 / 200 x 165
Bed dimension: Rear bed, L x W, approx.	cm	210 x 170 - 180 ○	210 x 150 - 210 ○
Sleeping berths standard / max.		2 / 4 ○	2 / 4 ○
Standard engine		180 Multijet 3 Power	180 Multijet 3 Power
kW (bhp)		132 (180)	132 (180)
Mass in running order*	kg	3480 (3306 - 3654)*	4010 (3810 - 4211)*
Manufacturer-specified mass for optional equipment*	kg	830	769
Technically permissible maximum laden mass*	kg	4500	5000
Permitted number of seats (including driver)*		2 - 4 ○	2 - 4 ○
Refrigerator volume (thereof freezer), approx.	l	136 (23) / 153 (29) ○	136 (23) / 177 (35) ○
Waste water tank, approx.	l	120	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	130 / 20	166 / 20
Measurement storage opening left (W x H)	cm	100 x 85	105 x 85
Measurement storage opening right (W x H)	cm	100 x 85	105 x 85

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

1 6820-2

1 7820-2

	1 6820-2	1 7820-2
Fiat chassis		
Fiat Ducato Maxi ALKO low-platform 3-axle (5,000 kg) Multijet 180 (2.2 l / 180 hp) Heavy Duty, 9-speed torque converter automatic transmission	—	●
Fiat Ducato Maxi ALKO low-platform wide-track rear axle (4,500 kg) Multijet 180 (2.2 l / 180 hp) Heavy Duty, 9-speed torque converter automatic transmission	●	—
Steel rims 16" (225/75 R16C) incl. wheel trims	●	●
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●
Anti-theft device	●	●
Crosswind Assist	●	●
Cruise control	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●
Dashboard with aluminium application	●	●
Driver and passenger airbags	●	●
Driver and passenger detection	●	●
Front-wheel drive	●	●
Leather steering wheel and gear knob with leather sleeve	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●
Reinforced spring for front axle	●	●
Wireless phone charger in the central console	●	●
10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control	●	●
Additional protection for radiator through grille at front of vehicle	●	●
Automatic Brake Assist after a collision	●	●
Captain's chair with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests	●	●
Cup holder in the centre of the dashboard	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●
Digital speedometer with large, digital 7" display	●	●
Driver's cab automatic A/C	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●
Pleated blinds in the windscreen and side windows of the drive's cab for the best insulation and privacy	●	●
Trailer Stability Assist	●	●
Tyre inflation kit and towing eye	●	●
Exterior features		
70 cm wide habitation door with window and blind	●	●
Bedroom window right and left	●	●
Flyscreen habitation door	●	●
Panoramic skylight 75x105 cm above U-shaped seating	●	●
Rear moulding with third brake light, LED tail lights with dynamic indicators	●	●
Side panels and rear panel in smooth aluminium sheets	●	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●	●
Double-glazed frame windows with blackout & mosquito net (Privacy Black)	●	●
Driver's cab door left	●	●
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●
GRP roof	●	●
Habitation access with comfortable coupe entrance	●	●
Habitation access with comfortable, wide, electric step	●	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●	●
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●	●
Exterior design		
Exterior body painted in white	●	●
Interior design		
Amaro upholstery	●	●
Virginia Oak wood décor	●	●

Standard equipment

I 6820-2

I 7820-2

	I 6820-2	I 7820-2
Textile equipment		
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●
Furniture layouts		
Overhead lockers in the rear area	●	●
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	—	●
AirPlus overhead locker rear ventilation to avoid condensation	●	●
Electric pull-down bed for single-bed use (without add-on elements)	●	●
Full body mirror	●	●
Overhead locker doors with soft-close function	●	●
U-shaped seating in the lounge with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	—	●
U-shaped seating with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	●	—
Kitchen		
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	●	●
Kitchen overhead locker with illuminated roof lining	●	●
MultiFlex rail system	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	●	●
Bathroom		
Shower panel and bathroom accessories in black	●	●
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●
Shower grid	●	●
Multimedia		
DAB+ radio antenna mounted on the roof	●	●
Heating		
Heating in the seating unit for optimum heat distribution, built-in	●	●
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	●	●
Electrical installation		
Awning light 12 V	●	●
LED lighting throughout the vehicle	●	●
Leisure battery AGM, 95 Ah	●	●
Luxus on-board control panel	●	●
Spotlights in the roof lining above the habitation door	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●
Number of sockets 1x 12V, 6x 230V, 2x USB	●	—
Number of sockets 1x 12V, 7x 230V, 2x USB	—	●
Water supply		
Fresh water and waste water tanks installed in double floor (insulated area)	●	●
Switch for water pump	●	●
Pressurised water pump system	●	●
Gas supply		
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●

PACKAGES ALPA A CLASS

Package	I 6820-2 Family Package (12213)	I 7820-2 Family Package (12213)
Preparation for radio system incl. sound package in the driver's cabin	x	x
Indirect ambient lighting above the overhead lockers	x	x
Extractor fan (extracted air) with draught stopper	x	x
Dimmable, indirect ambient lighting on the walls	x	x
Rear corner steadies (2 pieces)	x	x
Driver's cab door left	x	x
DAB+ radio antenna mounted on the roof	x	x
Sky Roof (2 x panoramic skylight 70x50cm crossways) over the seating lounge in the rear	x	
Central locking for the driver's cab and habitation door	x	x
Sky roof (second panoramic skylight 75x105cm lengthwise over the seating lounge in the rear) incl. roof lining and lamp		x
Additional weight (kg)	69.5	69.5

Electric Package 2 (7489)

Two 150 Ah leisure batteries (instead of standard battery)
 Victron Energy MultiPlus charging/inverter combination 3000W/120A
 Victron PowerAssist and PowerControl
 High-current module
 Electrical block EBL 111
 Victron control panel above the habitation door

Additional weight (kg)

113

Pre-wiring kit (11665)

Pre-wiring for solar
 Pre-wiring for roof A/C
 Pre-wiring for first reversing camera
 Pre-wiring for satellite system

Additional weight (kg)

6.5

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 6820-2	I 7820-2
Fiat chassis					
Alloy wheels Dethleffs 16 "	—	0	8045	○	—
Dethleffs 16" alloy wheels (for 3 axles)	—	0	8045	—	○
Weight upgrade					
4,800 kg (incl. air suspension rear axle, reinforced coil springs front axle, complete set of aluminium wheels with all-weather tyres 225/65 R16)	—	40	8460	○	—
Load increase to 5,400 kg ²⁵⁾	—	25	7497	—	○
Fiat chassis features					
Air suspension front and rear axle (2 axles)	—	55	1796	○	—
Air suspension front and rear axle (3 axles) ²⁵⁾	—	85	12907	—	○
Air suspension rear axle (2 axles)	—	45	1658	○	—
SKA captain seat with air suspension	—	36	7505	○	○
Air suspension rear axle (3 axles) ²⁵⁾	—	75	12906	—	○
Bench with 3-point seatbelts for seats facing away from driving direction incl. bed convert for seating lounge (1944)	—	18	9116	—	○
Hydraulic lifting jacks with automatic levelling and weighing function	—	72	9663	○	○
Seat heating and ventilation of the seat area ^{21) 20)}	—	0	11147	○	○
Single folding seats, rear right and left incl. Isofix, bed construction, seat group and weight increase 4,800 kg with HA air suspension, reinforced VA coil springs and 16" alloy rims	—	131	1604, 1605	○	—
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○
Exterior features					
Omnistor cassette awning 5.0 m (electric)	—	54	428	○	—
Omnistor cassette awning 5.0 m (manual)	—	54	697	○	—
Omnistor cassette awning 6.0 m (electric)	—	64	519	—	○
Omnistor cassette awning 6.0 m (manual)	—	61	560	—	○
Roof vent with fan (fitted in the passageway to the bathroom)	—	1	7507	○	○
Storage access in the rear	—	17	1732	○	○
Exterior design					
Side panels in metallic titanium silver	—	0	511	○	○
Interior design					
Alternative overhead locker doors	—	0	1969	○	○
Goa upholstery	—	0	9555	○	○
Individual genuine leather ^{20) 22)}	—	0	9785	○	○
Skylight real leather upholstery ²⁰⁾	—	0	8032	○	○
Textile equipment					
Carpet, loose	—	8	851	○	○
Furniture layouts					
Bed convert for seating lounge transverse	—	9	1944	○	○
Kitchen					
Fridge (177 l), can be opened on both sides, with integrated oven	—	20	290	—	○
Fridge (153 l), can be opened on both sides, with integrated oven	—	20	290	○	—
Bathroom					
Ceramic toilet ²³⁾	—	25	7243	○	○
Macerator toilet with waste-holding tank	—	22	1625	○	○



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 6820-2	I 7820-2
Toilet ventilation via the roof ²³⁾	—	2	1681	○	○
Multimedia					
Additional 22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁴⁾	—	5	7490	○	○
Additional flat-screen TV bracket	—	3	1809	○	○
Automatic satellite system 85 Twin	—	15	1637	○	○
Flat-screen TV bracket	—	3	325	○	○
22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁾	—	3	1799	○	○
32" TV (incl. bracket, DVB-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide angle) incl. sound board	—	15	9127	○	○
Rear view camera (double camera) ⁹⁾	—	2	1641	○	○
Rear view camera (single camera) ⁹⁾	—	2	1642	○	○
Top view 360° camera	—	6	7173	○	○
Heating					
Heat exchanger for hot-water heating	—	7	565	○	○
Hot-water carpet for the driver's cab	—	10	6709	○	○
Air Conditioning					
Roof A/C	—	34	609	○	○
Electrical installation					
Second leisure battery AGM, 95 Ah ⁷⁾	—	27	830	○	○
Solar power system 100 watt	—	15	922	○	○
Water supply					
Outdoor shower (cold water)	—	1	793	○	○
Gas supply					
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○	○
Safety					
2 kg fire extinguisher	—	3.5	1878	○	○
Alarm system (for door with central locking)	—	5	322	○	○
Safe	—	12.5	323	○	○
Smoke detector	—	0.5	1891	○	○
Packages					
Electric Package 2 ⁷⁾	—	113	7489	○	○
I 6820-2 Family Package	—	69.5	12213	○	—
I 7820-2 Family Package	—	69.5	12213	—	○
Pre-wiring kit	—	6.5	11665	○	○
Miscellaneous					
Registration documents	—	0	15152	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Globetrotter XLI A Class



This lifestyle luxury motorhome combines spacious living, modern design and genuine driving dynamics. The sporty design language translates a premium wide-track low-platform chassis into real driving experiences. With the Globetrotter XLI, you are just as good on the road as it looks: sporty, dynamic and safe - and thanks to the winterproof double floor construction, 365 days a year.

Technical info

Overall length, approx.	861 cm
Overall width, approx.	233 cm
Overall height, approx.	304 cm
Headroom in living area, approx.	208 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Samir upholstery



+ Individual genuine leather



+ Collin real leather upholstery



+ Melia upholstery

Wood décor




+ Amberes Oak wood décor


optionally available

Plus factors

- + Dynamic and safe handling due to premium wide-gauge low platform chassis
- + Lifetime Plus body technology with absolutely rot-proof and durable wall construction
- + Winter-proof: heated double floor with frost-protected water installation and standard hot water heating system
- + Dethleffs Connect - digital control unit for networking the entire vehicle incl. control via digital display and own app
- + Harmonious light composition "Light Moments" optional
- + Ergonomic captain seats, optionally available as air-swing seats with heating and ventilation
- + Fully equipped kitchen with solid surface worktop and automatic central locking for the drawers



Globetrotter XLI A Class




Globetrotter XLI A Class		I 7850-2 DBM	I 7850-2 EB
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform 3-axle	Fiat Ducato Maxi AL-KO Low Platform 3-axle
Emission standards		Euro VI-E	Euro VI-E
Overall length, approx.	cm	861	861
Overall width, approx.	cm	233	233
Overall height, approx.	cm	304	304
Headroom in living area, approx.	cm	208	208
Towable load braked/unbraked	kg	1600 (750)	1600 (750)
Wheelbase, approx.	mm	4500	4500
Bed dimension: Front bed, L x W, approx.	cm	200 x 150	200 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 150 - 90 ○	206 x 150 - 95 ○
Bed dimension: Rear bed, L x W, approx.	cm	200 x 150	210 x 200 - 145 / 2x 200 x 82
Sleeping berths standard / max.		4 / 5 ○	4 / 5 ○
Standard engine		180 Multijet 3 Power	180 Multijet 3 Power
kW (bhp)		132 (180)	132 (180)
Mass in running order*	kg	4030 (3829 - 4232)*	4030 (3829 - 4232)*
Manufacturer-specified mass for optional equipment*	kg	569	589
Technically permissible maximum laden mass*	kg	5000	5000
Permitted number of seats (including driver)*		4 - 5 ○	4 - 5 ○
Refrigerator volume (thereof freezer), approx.	l	136 (23) / 177 (35) ○	136 (23) / 177 (35) ○
Waste water tank, approx.	l	156	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	166 / 20	166 / 20
Measurement storage opening left (W x H)	cm	105 x 120	105 x 120



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Globetrotter XLI A Class



Globetrotter XLI A Class		I 7850-2 DBM	I 7850-2 EB
Measurement storage opening right (W x H)	cm	105 x 120	105 x 120

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

17850-2 DBM

17850-2 EB

Fiat chassis		
Fiat Ducato Maxi ALKO low-platform 3-axle (5,000 kg) Multijet 180 (2.2 l / 180 hp) Heavy Duty, 9-speed torque converter automatic transmission	●	●
Steel rims 16" (225/75 R16C) incl. wheel trims	●	●
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●
Anti-theft device	●	●
Crosswind Assist	●	●
Cruise control	●	●
Dashboard with aluminium application	●	●
Driver and passenger detection	●	●
Front-wheel drive	●	●
Leather steering wheel and gear knob with leather sleeve	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●
Reinforced spring for front axle	●	●
Wireless phone charger in the central console	●	●
10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control	●	●
Additional protection for radiator through grille at front of vehicle	●	●
Automatic Brake Assist after a collision	●	●
Captain's chair with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests	●	●
Cup holder in the centre of the dashboard	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●
Digital speedometer with large, digital 7" display	●	●
Driver's cab automatic A/C	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●
Pleated privacy blind in the windscreen can be adjusted horizontally and laterally for the best insulation	●	●
Trailer Stability Assist	●	●
Tyre inflation kit and towing eye	●	●
Exterior features		
70 cm wide habitation door with window and blind	●	●
Bedroom window right and left	●	●
Flyscreen habitation door	●	●
Side panels and rear panel in smooth aluminium sheets	●	●
Central locking for the drive's cab, habitation and garage door	●	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●	●
Electric closing aid for habitation door	●	●
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●
GRP rear in modern coach look with 3rd brake light, LED rear lights and dynamic indicators	●	●
GRP roof	●	●
Habitation access with comfortable coupe entrance	●	●
Habitation access with comfortable, wide, electric step	●	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●	●
Skylight 40 x 40 cm above the lounge	●	●
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	●	●
Exterior design		
Exterior body painted in white	●	●
Interior design		
Amberes Oak wood décor	●	●
Samir upholstery	●	●
Textile equipment		

Standard equipment

17850-2 DBM

17850-2 EB

Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material

● ●

Furniture layouts

Low single-beds for comfortable access and high headroom

— ●

No steps in living room

● ●

Wardrobe floor-to-ceiling with convenient linen drawers in upper area

● ●

Wardrobe to the left and right of the queen-size bed

● —

AirPlus overhead locker rear ventilation to avoid condensation

● ●

Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts

● ●

Electric pull-down bed in the driver's cab

● ●

Floor-to-ceiling wooden sliding door to the bedroom

● ●

Full body mirror

● ●

High-level double bed

● —

Option to convert single beds to double bed

— ●

Overhead locker doors with soft-close function

● ●

Sideboard incl. pull-out leg support, drawers and illuminated wall panels

● ●

Kitchen

Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking

● ●

Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)

● ●

Worktop made of solid surface material

● ●

Bathroom

Additional window in bathroom

● ●

Shower panel and bathroom accessories in black

● ●

Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head

● ●

Large bathroom with separate shower and toilet with locking door to the lounge

● ●

Shower grid

● ●

Multimedia

Flat-screen TV bracket

● ●

Heating

Heat exchanger for hot-water heating

● ●

Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel

● ●

Electrical installation

Awning light 12 V

● ●

LED lighting throughout the vehicle

● ●

Leisure battery AGM, 95 Ah

● ●

Premium on-board control panel with touchscreen

● ●

Spotlights in the roof lining above the habitation door

● ●

Automatic switch-on/disconnect for starter battery, body battery and refrigerator

● ●

Dethleffs connect - System Control Unit

● ●

Electric block with integrated overvoltage protection and separate ground fault circuit breaker

● ●

Kitchen back panel illuminated

● ●

Number of sockets 1x 12V, 8x 230V, 2x USB

● ●

Two-tone sockets and switches

● ●

Water supply

Fresh water and waste water tanks installed in double floor (insulated area)

● ●

Switch for water pump

● ●

Pressurised water pump system

● ●

Gas supply

Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access

● ●

PACKAGES GLOBETROTTER XLI A CLASS

Package	Lithium Package 1 (7488)	Lithium Package 2 (7489)
Victron PowerAssist and PowerControl	x	x
High-current module	x	x
Electrical block EBL 111	x	x
Victron control panel above the habitation door	x	x
Victron Energy MultiPlus charging/inverter combination 1600W/70A	x	
153 Ah lithium battery	x	
307 Ah lithium battery		x
Victron Energy MultiPlus charging/inverter combination 3000W/120A		x
Additional weight (kg)	63	113

Travel Package (11938)

Preparation for radio system incl. sound package in the driver's cabin
 DAB+ radio antenna mounted on the roof
 Driver's cab door left
 Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge
 Indirect ambient lighting above the overhead lockers
 Rear corner steadies (2 pieces)
 Electric windscreen blinds
 Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter
 Extractor fan (extracted air) with draught stopper
 Integrated single-lens reversing camera
 Second reversing camera in rear moulding

Additional weight (kg)	60.5
------------------------	------



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

GT Package Advance (12214)

Preparation for radio system incl. sound package in the driver's cabin
DAB+ radio antenna mounted on the roof
Driver's cab door left
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge
Indirect ambient lighting above the overhead lockers
Rear corner steadies (2 pieces)
Electric windscreen blinds
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter
Extractor fan (extracted air) with draught stopper
Integrated single-lens reversing camera
ORC 18-inch alloy wheels, black (for 3 axles)
LED low beam
Load increase to 5,400 kg
SKA captain seat with air suspension
Lateral sun shades, as a roller blind for driver and passenger
Panorama skylight 70 x 50 cm in the bedroom
Interior design GT incl. extended kitchen back panel
Second reversing camera in rear moulding

Additional weight (kg)

157

Light Moments (11993)

Plinth lighting throughout the vehicle
Roof lining with indirect lighting
Dimmable, indirect ambient lighting on the walls
Indirect lighting in the bathroom with illuminated shower panel
Indirect lighting of the sideboard/side couch on the right and of the entrance module as well as of the kitchen tall cupboard

Additional weight (kg)

14

Pre-wiring kit (11350)

Pre-wiring for solar
Pre-wiring for roof A/C
Pre-wiring for satellite system
Pre-wiring for first reversing camera
Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 7850-2 DBM	I 7850-2 EB
Fiat chassis					
Alloy wheel Fiat 16 ", black (for 3-axle)	—	0.5	11030	○	○
Weight upgrade					
Load increase to 5,400 kg ²⁵⁾	GT	25	7497	○	○
Fiat chassis features					
Air suspension front and rear axle (3 axles) ²⁵⁾	—	85	12907	○	○
Electric windscreen blinds	TR-P, GT	8	1782	○	○
Rear corner steadies (2 pieces)	TR-P, GT	6	390	○	○
SKA captain seat with air suspension	GT	36	7505	○	○
Air suspension rear axle (3 axles) ²⁵⁾	—	75	12906	○	○
Extra seat incl. side couch instead of sideboard ^{26) 27)}	—	11	435	○	○
Hydraulic lifting jacks with automatic levelling and weighing function	—	72	9663	○	○
LED low beam	GT	1.5	7152	○	○
Seat heating and ventilation of the seat area ^{20) 21)}	—	0	11147	○	○
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○
Exterior features					
Omnistor cassette awning 6.0 m (electric)	—	64	519	○	○
Omnistor cassette awning 6.0 m (manual)	—	61	560	○	○
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge	TR-P, GT	12	849	○	○
Roof vent with fan (fitted in the passageway to the bathroom)	—	1	7507	○	○
Double floor in rear garage	—	5	1890	○	○
Panorama skylight 70 x 50 cm in the bedroom	GT	8	246	○	○
Exterior design					
Exterior paint on the front bonnet, GRP rear and side panels in metallic titanium silver	—	0	511	○	○
Interior design					
Collin real leather upholstery ²⁰⁾	—	0	11952	○	○
Individual genuine leather ^{20) 22)}	—	0	9785	○	○
Melia upholstery	—	0	11950	○	○
Textile equipment					
Carpet, loose	—	8	851	○	○
Furniture layouts					
Bed convert for seating lounge transverse ²⁸⁾	—	9	1944	○	○
High-level single beds incl. comfortable access via steps	—	5	652	—	○
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	○
Overhead lockers in the driver's cab instead of pull-down bed	—	0	679	○	○
Kitchen					
Fridge (177 l), can be opened on both sides, with integrated oven	—	20	290	○	○
Extractor fan (extracted air) with draught stopper	TR-P, GT	2	344	○	○
Winter cover for refrigerator vents	—	1	282	○	○
Bathroom					
Ceramic toilet ²³⁾	—	25	7243	○	○
Macerator toilet with waste-holding tank	—	22	1625	○	○
Toilet ventilation via the roof ²³⁾	—	2	1681	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 7850-2 DBM	I 7850-2 EB
Multimedia					
Additional 22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁴⁾	—	5	7490	○	○
Additional flat-screen TV bracket	—	3	1809	○	○
Automatic satellite system 85 Twin	—	15	1637	○	○
Sound Package Plus ¹⁸⁾	—	8	8082	○	○
32" flat-screen TV	—	7	9807	○	○
Integrated single-lens reversing camera ^{29) 9)}	TR-P, GT	5	7636	○	○
Second reversing camera in rear moulding ^{29) 9)}	TR-P, GT	1	11541	○	○
Top view 360° camera	—	6	7173	○	○
Heating					
Hot-water carpet for the driver's cab	—	10	6709	○	○
Air Conditioning					
Roof A/C	—	34	609	○	○
Electrical installation					
Solar power system 100 watt	—	15	922	○	○
Water supply					
Outdoor shower installed in rear garage (hot/cold water)	—	1	1574	○	○
Gas supply					
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	TR-P, GT	2	1577	○	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○	○
Safety					
2 kg fire extinguisher	—	3.5	1878	○	○
Alarm system (for door with central locking)	—	5	322	○	○
Safe	—	12.5	323	○	○
Smoke detector	—	0.5	1891	○	○
Packages					
Light Moments	—	14	11993	○	○
GT Package Advance ⁹⁾	—	157	12214	○	○
Lithium Package 1 ⁷⁾	—	63	7488	○	○
Lithium Package 2 ⁷⁾	—	113	7489	○	○
Pre-wiring kit	—	7	11350	○	○
Travel Package	—	60.5	11938	○	○
Miscellaneous					
Registration documents	—	0	15152	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

GT GT Package TR-P Travel Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Globetrotter XXL Coachbuilt

The big luxury! With its robust Iveco Daily chassis with rear-wheel drive, the Globetrotter XXL A is the workhorse in the Dethleffs model range. Ideal for towing trailers weighing up to 3.5 tonnes. Perfectly equipped, with plenty of space and absolutely winterproof thanks to frost-proof installation in the double floor!

Technical info

Overall length, approx.	886 cm
Overall width, approx.	235 cm
Overall height, approx.	345 cm
Headroom in living area, approx.	211 cm

Maximum values partly not possible for all models or only in connection with certain options.


Upholstery



+ Samir upholstery



+ Individual genuine leather



+ Collin real leather upholstery



+ Melia upholstery

Wood décor



+ Amber Oak wood décor

optionally available

Plus factors

- + Lifetime Plus body technology with absolutely rot-proof and durable wall structure
- + Powerful 3.0 l JTD engine with 132 kW/180 hp with excellent traction due to rear-wheel drive and twin tyres
- + Winter-proof: heated double floor with frost-protected water installation and standard hot-water heater
- + Professional self-sufficiency thanks to 150 Ah battery and 230 l fresh water tank
- + Spacious living with plenty of freedom of movement



Globetrotter XXL Coachbuilt



Globetrotter XXL Coachbuilt		A 9000-2 EB
Standard chassis		IVECO Daily Ladder Frame
Emission standards		EURO VI-D
Overall length, approx.	cm	886
Overall width, approx.	cm	235
Overall height, approx.	cm	345
Headroom in living area, approx.	cm	211
Towable load braked/unbraked	kg	3500 (750)
Wheelbase, approx.	mm	4750
Bed dimension alcove, L x W, approx.	cm	215 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	195 x 130 / 210 x 130 ○
Bed dimension: Rear bed, L x W, approx.	cm	210 x 200 - 160 / 200 x 80 / 195 x 80
Sleeping berths standard / max.		6
Standard engine		3,0 I JTD
kW (bhp)		154 (210)
Mass in running order*	kg	4990 (4741 - 5240)*
Manufacturer-specified mass for optional equipment*	kg	1316
Technically permissible maximum laden mass*	kg	6700
Permitted number of seats (including driver)*		4 - 6 ○
Refrigerator volume (thereof freezer), approx.	l	136 (23) / 177 (35) ○
Waste water tank, approx.	l	222
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	230 / 20
Measurement storage opening left (W x H)	cm	105 x 120
Measurement storage opening right (W x H)	cm	105 x 120

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

Iveco chassis	
16" steel rim with 225/75 R16 M+S	●
IVECO Daily ladder frame (6,700 kg) 3.0 IJTD (210 hp), torque converter automatic transmission	●
Iveco chassis features	
Air suspension for driving axle (original Iveco)	●
Central dash tray (A4 format) with 2 x USB and aux-in	●
Crosswind Assist	●
Cruise control	●
Differential lock for driving axle	●
Electric handbrake	●
High Beam Assist	●
Hill Descent Control	●
LED headlights (Iveco)	●
Tyre pressure sensors	●
Adaptive Cruise Control incl. Active Lane Keeping Assist and Active Brake Assist with City Emergency Braking function	●
Alternator 220 Ah	●
Anti-theft device	●
Breakdown kit	●
Daytime running lights integrated into headlights	●
Driver and passenger airbags	●
Drivers cab A/C (automatic)	●
ESP, ASR, ABS with EBD, Hill Holder and Hydraulic Brake Assist	●
Exterior mirrors that can be heated and adjusted electrically	●
Fog lights with static cornering lights	●
Fuel tank 90l plus 20l AdBlue	●
Luxury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo	●
Multifunctional leather steering wheel	●
Rain sensor incl. driving light assistant	●
Rear wheel drive with twin tyres	●
Spare wheel located under the vehicle rear	●
Exterior features	
70 cm wide habitation door with window and blind	●
Bedroom window right and left	●
Flyscreen habitation door	●
Opening window in overcab left	●
Side panels and rear panel in smooth aluminium sheets	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●
Double-glazed frame windows with blackout & mosquito net (Privacy Black)	●
Electric closing aid for habitation door	●
Floor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm	●
GRP roof	●
Habitation access with comfortable coupe entrance	●
Habitation access with comfortable, wide, electric step	●
High-level rear moulding with third brake light, LED rear lights with dynamic indicators	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●
Opening window in overcab right	●
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●
Roof rail	●
Skylight 40 x 40 cm above the lounge	●
Exterior design	
Exterior body painted in white	●

Standard equipment

Interior design	
Amber Oak wood décor	●
Samir upholstery	●
Textile equipment	
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●
Furniture layouts	
Fold-away overcab bed	●
No steps in living room	●
Overhead lockers in the rear area	●
Storage bench enlargement, fold-away with storage space	●
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	●
AirPlus overhead locker rear ventilation to avoid condensation	●
Bed convert for seating lounge transverse	●
Floor-to-ceiling wooden sliding door to the bedroom	●
High-level single beds incl. comfortable access via steps	●
Large face-to-face seating area with mountable and extendible table incl. two integrated 3-point seatbelts	●
Option to convert single beds to double bed	●
Kitchen	
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	●
Kitchen overhead locker with illuminated roof lining	●
MultiFlex rail system	●
Extractor fan (extracted air) with draught stopper	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	●
Bathroom	
Additional window in bathroom	●
Shower panel and bathroom accessories in black	●
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●
Large bathroom with separate shower and toilet with locking door to the lounge	●
Shower grid	●
Multimedia	
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel	●
Flat-screen TV bracket	●
DAB+ radio antenna mounted on the roof	●
Preparation for radio system incl. sound package in the driver's cabin	●
Heating	
Heat exchanger for hot-water heating	●
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	●
Electrical installation	
Awning light 12 V	●
Leisure battery AGM, 150 Ah	●
Luxus on-board control panel	●
Spotlights in the roof lining above the habitation door	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●
Number of sockets 1x 12V, 7x 230V, 3x USB	●
Water supply	
Fresh water and waste water tanks installed in double floor (insulated area)	●
Switch for water pump	●
Pressurised water pump system	●
Gas supply	
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●

PACKAGES GLOBETROTTER XXL COACHBUILT

XXL Travel Package (9575)

Rear view camera (double camera)
Carpet, loose
Indirect ambient lighting above the overhead lockers
Roof A/C
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge
Central locking for the drive's cab, habitation and garage door
Dimmable, indirect ambient lighting on the walls
Rear corner steadies supports (2 pcs.) for rear mounting

Additional weight (kg)

75

Electric Package 2 (7489)

Two 150 Ah leisure batteries (instead of standard battery)
Victron Energy MultiPlus charging/inverter combination 3000W/120A
Victron PowerAssist and PowerControl
High-current module
Electrical block EBL 111
Victron control panel above the habitation door

Additional weight (kg)

113

Pre-wiring kit (11665)

Pre-wiring for solar
Pre-wiring for roof A/C
Pre-wiring for first reversing camera
Pre-wiring for satellite system

Additional weight (kg)

6.5

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	A 9000+2 EB
Weight upgrade				
Load increase 7,200 kg (for trailer operation, check permissible gross towing weight of 10.2 t)	—	0	1636	○
Iveco chassis features				
Rear corner steadies supports (2 pcs.) for rear mounting	TR-P	6	390	○
Safety Package II: 3-point seatbelt for seat facing away from driving direction	—	15	561	○
Tow hitch (Iveco)	—	35	273	○
Exterior features				
Omnistor cassette awning 6.0 m (electric)	—	64	519	○
Omnistor cassette awning 6.0 m (manual)	—	61	560	○
Roof vent with fan (fitted in the passageway to the bathroom)	—	1	7507	○
Storage access in the rear	—	17	1732	○
Double floor in rear garage	—	5	1890	○
Panoramic skylight 75x105 cm incl. illuminated roof lining in the bedroom	—	12	442	○
Roof rail accessories: rungs and ladder for roof rail with high rear moulding (please note other roof superstructures)	—	16	1754	○
Interior design				
Collin real leather upholstery	—	0	11952	○
Individual genuine leather ²²⁾	—	0	9785	○
Melia upholstery	—	0	11950	○
Textile equipment				
Carpet, loose	TR-P	8	851	○
Furniture layouts				
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○
U-shaped seating (free-standing, rigid table base with surrounding seating and backrest cushions)	—	5	1870	○
Kitchen				
Fridge (177 l), can be opened on both sides, with integrated oven	—	20	290	○
Winter cover for refrigerator vents	—	1	282	○
Bathroom				
Ceramic toilet ²³⁾	—	25	7243	○
Macerator toilet with waste-holding tank	—	22	1625	○
Toilet ventilation via the roof ²³⁾	—	2	1681	○
Multimedia				
Additional 22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁴⁾	—	5	7490	○
Additional flat-screen TV bracket	—	3	1809	○
Automatic satellite system 85 Twin	—	15	1637	○
Sound Package Plus ¹⁸⁾	—	8	8082	○
32" TV (incl. bracket, DVB-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide angle) incl. sound board	—	15	9127	○
Rear view camera (double camera)	TR-P	2	1641	○
Rear view camera (single camera)	—	2	1642	○
Top view 360° camera	—	6	7173	○
Heating				
Electrically heated overcab bed	—	3	1740	○
Air Conditioning				



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	A 9000-2 EB
Roof A/C	TR-P	34	609	○
Electrical installation				
Second leisure battery AGM, 150 Ah	—	27	830	○
Solar power system 100 watt	—	15	922	○
Dimmable, indirect ambient lighting on the walls	TR-P	3	9119	○
Water supply				
Outdoor shower installed in rear garage (hot/cold water)	—	1	1574	○
Gas supply				
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2	1577	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○
Safety				
2 kg fire extinguisher	—	3.5	1878	○
Alarm system (for door with central locking)	—	5	322	○
Smoke detector	—	0.5	1891	○
Safe	—	12.5	323	○
Packages				
Electric Package 2	—	113	7489	○
Pre-wiring kit	—	6.5	11665	○
XXL Travel Package	—	75	9575	○
Miscellaneous				
Registration documents	—	0	15152	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

TR-P Travel Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

TECHNICAL INFORMATION / FOOTNOES

FOOTNOTES

- 1) 9-speed torque converter automatic transmission incl. 16" steel rims.
- 2) Only possible in combination with the option "flat screen bracket" (code 325).
- 3) Only in combination with option 11258 Automatic HD SAT system 65 Twin
- 4) Only in combination with option 11506 Flat screen 22" HD TV
- 5) "Chassis Package Advance" and "Dethleffs Naviceiver" not possible in combination.
- 6) Not in combination with option 761 Hot water heater
- 7) The standard 25 A charge booster is replaced by a 45 A charge booster.
- 8) Only possible in conjunction with the option "Chassis Package" or "GT Package".
- 9) Please note that the image from the optional rear view camera is displayed on a separate screen.
- 10) The "panoramic roof bonnet 70x50 cm in the living area" is in combination with the option "electric lifting bed above the seating group" (Code 680) in the sleeping area.
- 11) "Trailer hitch" and "Ford 6-speed automatic transmission" not possible in combination.
- 12) The towing capacity is reduced to 1800 kg in combination with the option "Ford Transit low frame Maxi (4,100 kg gross vehicle weight)".
- 13) Not possible in combination with the option "Assistance package Ford" (Code 13248), replaces the standard Ford audio system radio.
- 14) Replaces the standard Ford audio system radio.
- 15) Only in combination with option 761 warm water heating
- 16) Please note that the image from the optional reversing camera is displayed on a digital interior rear view mirror.
- 17) Only possible in conjunction with the "Chassis Package" option.
- 18) Only in combination with option 659 pre-wiring radio system
- 19) 246/849 not applicable in combination with 11670 Roof air conditioner
- 20) Only in combination with option 7505 captain's chair with air suspension from SKA
- 21) Only in combination with option genuine leather upholstery
- 22) Your local trade partner will be happy to help you design and define the "Individual genuine leather".
- 23) Not possible in combination with the option "Chopper ceramic toilet with waste-holding tank" (Code 1625).
- 24) Only in combination with option 1809 Additional flat screen holder
- 25) Option 7497 Load increase to 5,400 kg and 12906 Air suspension rear axle (3-axle) or 12907 Air suspension front and rear axle (3-axle) not possible in combination.
- 26) Please note that with the option "Extra seat incl. side couch instead of sideboard" (code 435) the flat screen holder or the optional 32" flat screen (code 9807) is mounted on the entrance module.
- 27) Only possible in combination with the option "Bed construction seating group transverse" (code 1944).
- 28) Only in combination with option 435 5th seat
- 29) Option 7636 reversing camera and 11541 second rear view camera only possible in combination

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

The weight specifications and tests for **motorhomes** are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this **regulation** for you below. Our **dealers** and the Dethleffs configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The **technically permissible maximum laden mass** of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the **technically permissible maximum laden mass** of the model you have chosen can be found in the technical data. If the vehicle exceeds the **technically permissible maximum laden mass** in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the **mass in running order** is the basic vehicle with **standard equipment** plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the **standard equipment**, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the **fuel tank**, which is 90 % full, including fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the **mass in running order** can be found for each model in our sales documents. It is important to note that the value for **mass in running order** given in the sales documents is a default value determined in the **type-approval procedure** and verified by the authorities. It is legally permissible and possible for the **mass in running order** of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible **tolerance** is $\pm 5\%$. In this way, the EU legislator accounts for the fact that certain fluctuations in the **mass in running order** occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- **Mass in running order** acc. to sales documents: 2,850 kg
- Legally permissible **tolerance** of $\pm 5\%$: 142.50 kg
- Legally permissible range of **mass in running order**: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Dethleffs makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. **Deviations** at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even

with all optimisations. The real weight of the vehicle and compliance with the permissible **tolerance** is therefore checked by Dethleffs by weighing each vehicle at the **end of the line**.

3. Mass of the passengers

The **mass of the passengers** is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The **mass of the driver** is already included in the **mass in running order** (see no. 2 above) and is therefore not included again. In the case of a **motorhome** with four **permitted seats**, the **mass of the passengers** is therefore $3 * 75 \text{ kg} = 225 \text{ kg}$.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the **standard equipment** which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the **optional equipment** that can be ordered can be found in our sales documents. **Optional equipment** in this sense does not include other **accessories** that are retrofitted by the **dealer** or you personally after the vehicle has been delivered ex works.

The **mass of the vehicle in running order** (see no. 2 above) and the mass of the **optional equipment** fitted to a specific vehicle at the factory are together referred to as the **actual mass**. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the **mass in running order** – as an element of the **actual mass** – is subject to a legally permissible **tolerance** of $\pm 5\%$ (see no. 2), the **actual mass** may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg $\geq 10 * (n + L)$

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. $10 \text{ kg} * (4 + 6) = 100 \text{ kg}$.

To ensure that the **minimum pay-mass** is maintained, there is a maximum combination of **optional equipment** that can be ordered for each vehicle model. In the above example with a **minimum pay-mass** of 100 kg, the total mass of **optional equipment** for a vehicle with four **permitted seats** and a **mass in running order** of 2,850 kg should not exceed 325 kg:

3,500 kg **technically permissible maximum laden mass**
 - 2,850 kg **mass in running order**
 - 3*75 kg **mass of the passengers**
 - 100 kg **minimum pay-mass**
 = 325 kg **maximum permissible mass of optional equipment**

It is important to note that this calculation is based on the default value for **mass in running order** as defined in the **type-approval procedure**, without taking into account the permissible weight deviations for **mass in running order** (see no. 2 above). If the maximum permissible value for the **optional equipment** of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the **minimum pay-mass** of 100 kg being met mathematically using the default value for the **mass in running order**, although in fact there is no corresponding **load capacity**. Here, too, an example calculation for a vehicle with four seats, whose real weighed **mass in running order** is 2 % above the nominal value:

3.500 kg **technically permissible maximum laden mass**
 - 2.907 kg **real weighed mass in running order** (+ 2 % compared to the stated value of 2,850 kg)
 - 3*75 kg **mass of the passengers**
 - 325 kg **optional equipment** (maximum permissible value)
 = 43 kg **actual load capacity** (< **minimum pay-mass** of 100 kg)

In order to avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total **optional equipment** that can be ordered on a model-specific basis. The limitation of **optional equipment** is intended to ensure that the **minimum pay-mass**, i.e. the legally prescribed free mass for **baggage** and retrofitted **accessories**, is actually available for the **vehicle load capacity** of the vehicles delivered by Dethleffs. Since the weight of a specific vehicle can only be determined when it is weighed at the **end of the line**, in very rare cases a situation may arise in which the **minimum pay-mass** at the **end of the line** is not guaranteed, despite this limitation of **optional equipment**. In order to guarantee the **minimum pay-mass** even in these cases, Dethleffs will check together with your **trade partner** and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or **optional equipment** is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the **minimum pay-mass**, you should note that unavoidable production-related fluctuations in the **mass in running order** – both upwards and downwards – have a mirror-image effect on the remaining **load capacity**: If you order our example vehicle (see no. 3. above), for example, with **optional equipment** with a total weight of 150 kg, the calculated **pay-mass** based on the default value for the **mass in running order** is 275 kg. The **load capacity** actually available may deviate from this value due to **tolerances** and may be higher or lower. If the **mass in running or-**

der of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the **load capacity** is reduced from 275 kg to 218 kg:

3.500 kg **technically permissible maximum laden mass**
 2.907 kg **real weighed mass in running order** (+ 2 % compared to the stated value of 2,850 kg)
 3*75 kg **mass of the passengers**
 150 kg **optional equipment** ordered for the specific vehicle
 = 218 kg **sactical load capacity**

As a precaution to ensure that the calculated **pay-mass** is actually given, you should therefore take the possible and permissible **tolerances** for the **mass in running order** into account when configuring your vehicle. We also recommend that you weigh the laden **motorhome** on a non-automatic scale before each journey and, taking the individual weight of the **passengers** into account, determine whether the **technically permissible maximum laden mass** and the **technically permissible maximum mass on the axle** are observed.

General Information

The information on the scope of delivery, appearance, performance, dimensions and weights of the vehicles corresponds to the knowledge available at the time of going to press and to the European homologation regulations.

Technical changes in design and equipment as well as errors excepted. These Technical Information is valid from 01 August 2022. Vehicle illustrations in this document may contain optional equipment subject to an extra charge. We expressly reserve the right to make changes. With the publication of this Technical Information, all previous technical documents lose their validity.

4308 / valid from 01.08.2022